

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, U. S. Forest Service, by G. E. Mitchell, Forest Supervisor
of Grants Pass, County of Josephine, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Grayback Creek, a tributary of Sucker Creek

2. The amount of water which the applicant intends to apply to beneficial use is 5/10 cubic feet per second.

\*\*3. The use to which the water is to be applied is domestic public forest campground and irrigation

4. The point of diversion is located 626 ft. S 61 degrees and 15' W ft. from the common corner of sections 29, 30, 31 and 32, Twp. 39 S., R. 6 W., M. 6

being within the NE 1/4, NE 1/4, NE 1/4 of Sec. 31, Tp. 39 S., R. 6 W., W. M., in the county of Josephine

5. The main ditch to be one mile in length, terminating in the lot 4 of Sec. 30, Tp. 39 S., R. 6 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 1 feet, length on top 30 feet, length at bottom 30 feet; material to be used and character of construction loose rock wasteway over dam

(b) Description of headgate open ditch

(c) If water is to be pumped give general description

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 3 feet; width on bottom 2 feet; depth of water 1 feet; grade 10 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 39 S, 6 W, 31, Lot 1 (NW 1/4 NW 1/4), 2. Row 2: NE 1/4 NW 1/4, 10.

(If more space required, attach separate sheet)

(a) Character of soil clay loam

(b) Kind of crops raised Forage crops, pasture

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. (No. N. or S.), Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of) and an estimated population of \_\_\_\_\_ in 193\_\_\_\_\_.

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500 \_\_\_\_\_

12. Construction work will begin on or before already begun \_\_\_\_\_

13. Construction work will be completed on or before already completed \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before already applied \_\_\_\_\_

G. E. Mitchell  
(Signature of applicant)  
Forest Supervisor

Signed in the presence of us as witnesses:

(1) Wilma I. Wilson \_\_\_\_\_, Grants Pass, Oregon \_\_\_\_\_  
(Name) (Address of witness)

(2) \_\_\_\_\_, \_\_\_\_\_  
(Name) (Address of witness)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

Completion, signature and balance of fees

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 25, \_\_\_\_\_, 193 4.

WITNESS my hand this 25th day of October \_\_\_\_\_, 193 4.

CHAS. E. STRICKLIN

STATE ENGINEER

EL

Application No. 15595  
Permit No. 11473

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 24th day of October  
1934, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

December 28, 1934

Recorded in book No. 39 of

Permits on page 11473.

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 381-B

Fees Paid \$14.50

STATE OF OREGON, }  
County of Marion. } ss.

**PERMIT**

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Grayback Creek

The use to which this water is to be applied is irrigation and domestic in public forest camp ground

If for irrigation, this appropriation shall be limited to 1/50th of one cubic foot per second, or its equivalent, for each acre irrigated, during the irrigation season from April 1, to October 1, of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 24, 1934

Actual construction work shall begin on or before December 28, 1935 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1937

WITNESS my hand this 28th day of December, 1934

CHAS. E. STRICKLIN

STATE ENGINEER