

CERTIFICATE NO. 11278

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Leonard Perlot (Name of applicant) of Rhododendron (Postoffice), County of Clackamas, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed creek (Name of stream), a tributary of Still Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 370 ft. S and 460 ft. E from the N.W. corner of Sec. 11 (Section or subdivision). (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW 1/4 NW 1/4 of Sec. 11, Tp. 3 S, R. 7 E, W. M., in the county of Clackamas

5. The pipe line to be 220 feet in length, terminating in the NW 1/4 NW 1/4 of Sec. 11, Tp. 3 S, R. 7 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 1 feet, length on top 6 feet, length at bottom 6 feet; material to be used and character of construction rock wasteway over top

(b) Description of headgate Screen over end of 3/4" pipe

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

11624 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 220 ft.; size at intake, 4 3/4 in.; size at ft. from intake in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 60 ft. Is grade uniform? Yes Estimated capacity, 0.01 sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 3 S, 7 E, 11, NW 1/4 NW 1/4, domestic. Note: (Lot 18, Block K, Still Creek lots)

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____.

(b) If for domestic use state number of families to be supplied _____ one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 100

12. Construction work will begin on or before April 20, 1935

13. Construction work will be completed on or before May 10, 1935

14. The water will be completely applied to the proposed use on or before May 10, 1935

Leonard Parlot
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Walter F. Krebs, Rhododendron, Oregon
(Name) (Address of witness)
- (2) John S. Rogers, " "
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____
Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 3, 1935

WITNESS my hand this 3rd day of April, 1935

CHAS. E. STRICKLIN
STATE ENGINEER

Application No. 15775

Permit No. 11624

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 3rd day of April, 1935, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 29, 1935

Recorded in book No. 32 of

Permits on page 11625

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 3 Page 18

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 3, 1935

Actual construction work shall begin on or before April 29, 1936 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1937

Complete application of the water to the proposed use shall be made on or before

Oct. 1, 1938

WITNESS my hand this 29th day of April, 1935

CHAS. E. STRICKLIN

STATE ENGINEER