CERTIFICATE NO. 11639

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

Ι, .	P. A. Thompson, Forest Supervisor (Willamette National Forest) (Name of applicant)
of	Eugene, Oregon , County of Lane
	(Postoffice), do hereby make application for a permit to appropriate the
following	described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If t	he applicant is a corporation, give date and place of incorporation
1.	The source of the proposed appropriation is an unnamed stream (Name of stream)
	, a tributary of Middle Fork of Willamette River
2.	The amount of water which the applicant intends to apply to beneficial use is
cubic feet	per second. (If water is to be used from more than one source, give quantity from each)
	The use to which the water is to be applied is for domestic supply for public (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4.	The point of diversion is located 1830 ft. N and 1755 ft. W from the Section (N. or S.)
corner of	Common to Sections 2, 3, 10 & 11 T. 20 S., R. 1 E (Section or subdivision)
	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
	hin the NWA SEA of Sec. 3, Tp. 20 S (Give smallest legal subdivision)
	W.) Lane
5.	The pipe line to be 864 feet (Main ditch, canal or pipe line) (Miles or feet)
in length,	terminating in the NW_4^2 SE_4^1 of Sec. 3 , Tp. 20 S (Smallest legal subdivision)
	W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversion	WORKS—
6.	(a) Height of dam $3\frac{1}{2}$ feet, length on top6 feet, length at bottom
6	feet; material to be used and character of construction log and stone (Loose rock, concrete, masonry,
rock and brush	, timber crib, etc., wasteway over or around dam)
(b)) Description of headgate 1" pipe in Box with air vent. (Timber, concrete, etc., number and size of openings)
(c)	If water is to be pumped give general description(Size and type of pump)
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*} A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer Salem, Oregon,

CANAL	System or 1	PIPE :	LINE-
-------	-------------	--------	-------

usand feet.	feet; depth of	water	feet; grade	feet fall per or
•		miles from headge	ate: width on top (at wate	er line)
	feet: width o	n bottom	feet; depth of r	vater fee
		ll per one thousan		
	•	_		in.; size at600
				ifference in elevation between
		ft. Is g	grade uniform?no	Estimated capacit
.1				
8. Location	on of area to b	e irrigated, or pla	ace of use NW4 SE4 S	ection 3, T. 20 S., R.
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
20 S	1 E	3	NW_{4}^{1} SE_{4}^{1}	,
	,			
	•••••			
•••••				
			•••••	
	,			
	***************************************]
	•••••		•••••	
		(If more space requ	ired, attach separate sheet)	:
(a) Chare	acter of soil			
(b) Kind	of crops raised			
WER OR MININ	G PURPOSES—			
9. (a) T	otal amount of	power to be deve	loped	theoretical horsepower
(b) Q	uantity of wat	er to be used for	power	sec. ft.
(c) Te	otal fall to be u	tilized	Head)	
			,	be developed
,			,	
			i (Legal subdivision)	of Sec
	, R(No. E. c			
(f) Is	water to be re	turned to any str	eam?(Yes or No)	
(g) If	so, name stred	am and locate poi	nt of return	
		, Sec	, Tp	(No. E. or W.)
			•	
(h) T	he use to which	h power is to be o	upplied is	

MUNICIPAL OR DOMESTIC SUPPLY—	•
. 10. (a) To supply the city of Mossy. Map	ole forest Camp
Lane County, having a pre	esent population of20 perdayduringsummerseaso
and an estimated population of40	in 1936.
(b) If for domestic use state number of	of families to be supplied Varies from 1 to 25
	, 12, 13, and 14 in all cases)
	•
11. Estimated cost of proposed works, \$	
12. Construction work will begin on or bef	fore April 1, 1935
	on or before May 30, 1935
14. The water will be completely applied	to the proposed use on or beforeJune 30, 1935
	P. A. Thompson (Signature of applicant)
Signed in the presence of us as witnesses:	•
(1)k. A. Elliott	1935 Columbia St., Eugene, Ore.
(Name) H. E. Haefner	(Address of witness) 1394 Ferry St., Eugene, Oregon
(2)(Name)	(Address of witness)
Remarks:	
	·
STATE OF OREGON, County of Marion,	·
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the	foregoing application, together with the accompanying
maps and data, and return the same for	
	lication must be returned to the State Engineer, with
corrections on or before	, 193
WITNESS my hand this day	of, 193

STATE ENGINEER

Application No. 15778	
Permit No11639	
PERMIT	
TO APPROPRIATE THE PUBLIC	

	TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	
	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 4th day of April	•
	193.5, at 3:00 o'clock	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
•	May 29, 1935	
•	Recorded in book No 33 of	
	Permits on page 11639. CHAS. E. STRICKLIN	
	STATE ENGINEER	
	Drainage Basin No2 Page83 Fees Paid10.00	
STATE OF OREGON, County of Marion.	PERMIT	
This is to certify tha subject to existing rights a	t I have examined the foregoing application and do hand the following limitations and conditions:	
	nted is limited to the amount of water which can be a	
and shall not exceed0.1	cubic feet per second measured at the point	of diversion from the
stream, or its equivalent in	case of rotation with other water users, from	
	an unnamed stream	
	is water is to be applied is domestic supply	
If for irrigation, thi	s appropriation shall be limited to	of one cubic foot per
	h reasonable rotation system as may be ordered by t	

stream, or its equivalent in ca The use to which this -------If for irrigation, this of second and shall be subject to such r The priority date of this permit is April 4, 1935 thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1937 Complete application of the water to the proposed use shall be made on or before Oct. 1, 1938 WITNESS my hand this 29th day of May , 193 5. STATE ENGINEER Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Session Laws of 1988.