

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Parks Department of the State Highway Commission, State of Oregon
(Name of applicant)
of Salem, Oregon, County of Marion
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed spring
(Name of stream)
a tributary of Silver Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.25
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is public park purposes
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 264 ft. S and 264 ft. W from the NE
corner of NW 1/4 SW 1/4 of Sec. 14, T. 8 S., R. 1 E., W. M.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NE 1/4 NW 1/4 SW 1/4 of Sec. 14, Tp. 8 S.
R. 1 E., W. M., in the county of Marion

5. The pipe line to be 2,200 feet
in length, terminating in the SE 1/4 NW 1/4 NW 1/4 of Sec. 14, Tp. 8 S.
R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 4 feet, length on top 4 feet, length at bottom
4 feet; material to be used and character of construction concrete with
wasteway over top of dam.

(b) Description of headgate Storage basin at spring to be of concrete
4' wide x 10' long and 5' high

(c) If water is to be pumped give general description

\* A different form of application is provided where storage works are contemplated.
\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply ~~the city of~~ Silver Creek Falls State Park  
Marion County, having a present population of  
(Name of) and an estimated population of in 193

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 800.00
12. Construction work will begin on or before August 1, 1935
13. Construction work will be completed on or before September 1, 1935
14. The water will be completely applied to the proposed use on or before September 1, 1935

Oregon State Highway Commission
(Signature of applicant)
By S. H. Boardman

Signed in the presence of us as witnesses:

- (1) (Name), (Address of witness)
(2) (Name), (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193

WITNESS my hand this day of, 193

STATE ENGINEER

Application No. 15850

Permit No. 11657

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of May, 1935, at 10:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

May 31, 1935

Recorded in book No. 33 of Permits on page 11657

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 37

Fees Paid \$10.00

STATE OF OREGON, County of Marion ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from An unnamed spring

The use to which this water is to be applied is Public park purposes

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 31, 1935

Actual construction work shall begin on or before May 31, 1936 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1937

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1938

WITNESS my hand this 31st day of May, 1935

CHAS. E. STRICKLIN STATE ENGINEER