

**\*APPLICATION FOR A PERMIT**

**To Appropriate the Public Waters of the State of Oregon**

I, Cross Country Canal Company (Name of applicant)  
of Lostine (Postoffice), County of Wallowa,  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation  
24th day of April, 1935 at Lostine, Oregon

1. The source of the proposed appropriation is Wallowa River (Name of stream)  
Grande Ronde, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 100  
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Supplemental irrigation, water from  
main Wallowa River carried to South Fork and there distributed to various existing ditches.  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the  
corner of S 66° 11' W. 3378.9 ft. to the corner of Sec. 10, 11, 14 and 15 of  
Twp. 1 S., Range 43 E.W.M.  
(Section or subdivision)  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the NW 1/4 SE 1/4 of Sec. 11, Twp. 1 S.  
(Give smallest legal subdivision) (N. or S.)  
R. 43 E., W. M., in the county of Wallowa  
(E. or W.)

5. The Canal (Main ditch, canal or pipe line) to be 2.65 mi.  
in length, terminating in the SW 1/4 NW 1/4 of Sec. 10, Twp. 1 S.  
(Smallest legal subdivision) (N. or S.)  
R. 43 E., W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

**DESCRIPTION OF WORKS**

**DIVERSION WORKS—**

6. (a) Height of dam 3 feet, length on top 90 feet, length at bottom  
75 feet; material to be used and character of construction Timber crib  
(Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber one 14' opening  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description  
(Size and type of pump)  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

11695 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 20 feet; width on bottom 14 feet; depth of water 2 feet; grade 2 feet fall per one thousand feet.

(b) At 2.65 miles from headgate: width on top (at water line) 20 feet; width on bottom 14 feet; depth of water 2 feet; grade 2 feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use 3,544.95 acres

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. The table contains the text 'SEE ATTACHED SHEETS' in the center.

(If more space required, attach separate sheet)

(a) Character of soil Gravelly loam

(b) Kind of crops raised hay, grain and pasture

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision) Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return Sec. (No. N. or S.), Tp. (No. E. or W.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

11695 Per  
15860 App

THE CROSS COUNTRY CANAL CO.

LOSTINE, OREGON.

Township	Range	Section	40 acre tract	No. acres to be irrigated
1 N	42 E.W.M.	14 ✓	NW $\frac{1}{4}$ SE $\frac{1}{4}$	5 ✓
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	30 ✓
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	9 ✓
		23 ✓	NE $\frac{1}{4}$ NE $\frac{1}{4}$	5 ✓
			13 ✓	NW $\frac{1}{4}$ SW $\frac{1}{4}$
		SE $\frac{1}{4}$ SW $\frac{1}{4}$		5 ✓
		24 ✓	NW $\frac{1}{4}$ NW $\frac{1}{4}$	20 ✓
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	31 ✓
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	25 ✓
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	39.5 ✓
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	1 ✓
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	9 ✓
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	34 ✓
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	39.5 ✓
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	39.75 ✓
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	34 ✓
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	15 ✓
		SW $\frac{1}{4}$ SE $\frac{1}{4}$	35 ✓	
		25 ✓	NW $\frac{1}{4}$ NW $\frac{1}{4}$	17 ✓
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	40 ✓
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	40 ✓
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	11 ✓
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	40.5 ✓
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	40.5 ✓
SE $\frac{1}{4}$ NE $\frac{1}{4}$	28 ✓			
NW $\frac{1}{4}$ SE $\frac{1}{4}$	40.5 ✓			
SE $\frac{1}{4}$ SE $\frac{1}{4}$	41 ✓			
NE $\frac{1}{4}$ SE $\frac{1}{4}$	41 ✓			
SW $\frac{1}{4}$ SE $\frac{1}{4}$	39 ✓			
NW $\frac{1}{4}$ SW $\frac{1}{4}$	6.5 ✓			
NE $\frac{1}{4}$ SW $\frac{1}{4}$	40 ✓			
SE $\frac{1}{4}$ SW $\frac{1}{4}$	20 ✓			
36 ✓	NW $\frac{1}{4}$ NE $\frac{1}{4}$	9 ✓		
	NE $\frac{1}{4}$ NE $\frac{1}{4}$	27 ✓		
1 N	43 E.W.M.	30 ✓	NW $\frac{1}{4}$ NW $\frac{1}{4}$	17 ✓
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	38 ✓
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	40 ✓
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	34 ✓
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	30 ✓
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	20 ✓
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	40 ✓
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	40 ✓
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	40 ✓
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	40 ✓
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	40 ✓
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	40 ✓
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	40 ✓
		SE $\frac{1}{4}$ SW $\frac{1}{4}$	40 ✓	
		SW $\frac{1}{4}$ SW $\frac{1}{4}$	40 ✓	
		29 ✓	NW $\frac{1}{4}$ SW $\frac{1}{4}$	4 ✓
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	30 ✓
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	3 ✓
		31	NW $\frac{1}{4}$ NW $\frac{1}{4}$	40 ✓
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	40 ✓
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	40 ✓
			NE $\frac{1}{4}$ NE $\frac{1}{4}$	40 ✓
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	40 ✓
		SW $\frac{1}{4}$ NE $\frac{1}{4}$	40 ✓	



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 7038.00
- 12. Construction work will begin on or before Immediately
- 13. Construction work will be completed on or before September 1, 1936
- 14. The water will be completely applied to the proposed use on or before September 1, 1936

CROSS COUNTRY CANAL COMPANY

(Signature of applicant)

By S. P. Crow, President

Signed in the presence of us as witnesses:

- (1) Glenn Jacob, Enterprise, Oregon  
(Name) (Address of witness)
- (2) Robert Humphreys, Enterprise, Oregon  
(Name) (Address of witness)

Remarks: This project is designed to furnish supplementary water for lands now irrigated by the South Fork of the Wallowa River. During the major portion of the year the South Fork flow is insufficient and this canal which diverts water from the main Wallowa River to the South Fork is designed to correct this condition.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....  
Completion and correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 8, 1935.

WITNESS my hand this 8th day of June, 1935.

CHAS. E. STRICKLIN

STATE ENGINEER

Application No. 15860  
Permit No. 11695

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 6th day of June  
1935, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

July 10, 1935

Recorded in book No. 33 of  
Permits on page 11695

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 8 Page 208-B  
Fees Paid \$90.45

STATE OF OREGON, }  
County of Marion. } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,  
subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 88.63 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from

Wallowa River

The use to which this water is to be applied is Supplemental irrigation

not exceed 1 1/2 acre feet per acre during any thirty-  
If for irrigation, this appropriation shall be limited to of one cubic foot per  
second day period from May 1, to July 31, and thereafter shall not exceed one acre-foot per  
acre for the remainder of the irrigation season ending October 1, and the total quantity  
allowed under this and any other right for these lands described herein shall not at any  
time exceed the quantity of water allowed herein,  
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 6, 1935

Actual construction work shall begin on or before July 10, 1936 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
Oct. 1, 1937

Complete application of the water to the proposed use shall be made on or before  
Oct. 1, 1938

WITNESS my hand this 10th day of July, 1935.

CHAS. E. STRICKLIN  
STATE ENGINEER