

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

Maude L. Rhodes for herself and for Beulah W. Gillespie, I, Hilda I. Brosnahan and Viola P. O'Brian (Name of applicant) of Seattle, 5605 Beach Drive (Postoffice), County of King State of Washington, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation no

1. The source of the proposed appropriation is Palmer Creek (Name of stream), a tributary of Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is 0.4 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation and stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 300 ft. South and 1585 ft. East from the corner of Sections 5, 6, 7 & 8 in Tp. 5 S., R. 3 W. of the Will. Mer. Ore. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1/4, NE 1/4, NW 1/4 of Sec. 8, Tp. 5 S., R. 3 W., W. M., in the county of Yamhill (Give smallest legal subdivision) (N. or S.)

5. The pipe line to be 1000' (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SE 1/4 SW 1/4 of Sec. 5, NE 1/4 NW 1/4 of Sec. 8, Tp. 5 S., R. 3 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 10 H.P. Gasoline motor— (Size and type of pump) 4" Centrifugal pump — 25' lift. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 193\_\_\_\_\_.

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before One year after approval
- 13. Construction work will be completed on or before Two years after approval
- 14. The water will be completely applied to the proposed use on or before 3 years after approval

Maude L. Rhodes  
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) V. S. Bovelle, Salem, Oregon  
(Name) (Address of witness)
- (2) \_\_\_\_\_, \_\_\_\_\_  
(Name) (Address of witness)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_  
Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 28, 1935.

WITNESS my hand this 28th day of June, 1935.

CHAS. E. STRICKLIN  
STATE ENGINEER

EL

Application No. 15907

Permit No. 11771

# PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 28th day of June

1935, at 2:30 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

September 28, 1935

Recorded in book No. 35 of

Permits on page 11771

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 90-A

Fees Paid \$14.50

STATE OF OREGON, }  
County of Marion. } ss.

### PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.40 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Palmer Creek

The use to which this water is to be applied is Irrigation and stock, being 0.38 sec. ft. for irrigation and 0.02 sec. ft. for stock purposes.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 28, 1935

Actual construction work shall begin on or before September 28, 1936 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1937

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1938

WITNESS my hand this 28th day of September, 1935.

CHAS. E. STRICKLIN

STATE ENGINEER