

***APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Howard W. Baker (Name of applicant)

of Wilderville (Postoffice), County of Josephine,

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Slate Creek (Name of stream)

, a tributary of Applegate River

2. The amount of water which the applicant intends to apply to beneficial use is 0.10

cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and Garden (1/2 acre) (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 150 ft. N and 400 ft. W from the E 1/4

corner of Section 1, T. 37 S., R. 7 W.W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 1, Tp. 37 S.

R. 7 W., W. M., in the county of Josephine (E. or W.)

5. The pipe lines to be 200

in length, terminating in the SE 1/4 NE 1/4 of Sec. 1, Tp. 37 S.

R. 7 W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 2 feet, length on top 30 feet, length at bottom

30 feet; material to be used and character of construction

Crib and boards, wasteway over. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Valve in pipe. (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 inch centrifugal pump (Size and type of pump)

1/2 H.P. Electric motor, 10 foot lift. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied 10 families
Tourist camp

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 150.00

12. Construction work will begin on or before July 22, 1936

13. Construction work will be completed on or before July 22, 1937

14. The water will be completely applied to the proposed use on or before July 22, 1937

Howard W. Baker
(Signature of applicant)
Wilderville, Ore.

Signed in the presence of us as witnesses:

- (1) E. W. Madison, Grants Pass
(Name) (Address of witness)
- (2) V. E. Hull, Grants Pass
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 15949

Permit No. 11788

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 24th day of July

1935, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 28, 1935

Recorded in book No. 35 of

Permits on page 11788

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 363-L

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Slate Creek

The use to which this water is to be applied is Domestic, including the irrigation of a garden not exceeding one-half acre in area

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 24, 1935

Actual construction work shall begin on or before September 28, 1936 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

Oct. 1, 1937

Complete application of the water to the proposed use shall be made on or before

Oct. 1, 1938

WITNESS my hand this 28th day of September, 1935.

CHAS. E. STRICKLIN

STATE ENGINEER