

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 12126

To appropriate the Public Waters of the State of Oregon

I, Henry Derendorf, of Hood River, County of Hood River, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring Branch, a tributary of Indian Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.20 cubic feet per second. From Intake #1 - 0.15 C.F.S. & from #2 - 0.05 C.F.S.

**3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 1229 ft. S and 693 ft. W from the corner of Section 3, T. 2 N., R. 10 E. W.M.

being within the NE 1/4, NW 1/4 of Sec. 3, Tp. 2 N, R. 10 E, W. M., in the county of Hood River

5. The small ditch, flume & 6" pipe line to be is 800 feet in length, terminating in the NW 1/4, NE 1/4 of Sec. 3, Tp. 2 N, R. 10 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate Small dirt intake - 2' x 4'

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 N	10 E	3	NW $\frac{1}{4}$ NE $\frac{1}{4}$	2 ac.
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	9
			Total	11 ac.

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised Fruit

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.....
(Legal subdivision)
Tp....., R....., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec....., Tp....., R....., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____

(Name of) County, having a present population of _____
and an estimated population of _____ in 193_____.

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 400.00
 - 12. Construction work will begin on or before see 14
 - 13. Construction work will be completed on or before see 14
 - 14. The water will be completely applied to the proposed use on or before _____
- Has been installed and in operation for the last 25 years.

Henry Derendorf
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) C. M. Hurlburt, Hood River, Ore.
(Name) (Address of witness)
- (2) Elta May Derendorf, Hood River, Ore. R. 3
(Name) (Address of witness)

Remarks: This application is to place on record a small irrigation system which has been in operation for at least 25 years, taking the waters from the Spring Branch of Indian Cr., which has had its flow increased by the irrigation waste waters from the higher elevations. Within the last few years at Diversion #1 - the point of diversion has been moved upstream and the water is diverted jointly with the tract, which is irrigated under Permit #4749. There being ample waste water during the irrigation season to take care of these tracts.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193_____.

WITNESS my hand this _____ day of _____, 193_____.

STATE ENGINEER

Application No. 16057

Permit No. 11870

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of September, 1935, at 8:00 o'clock A.M.
Returned to applicant:

Corrected application received:

Approved:

October 31, 1935

Recorded in book No. 33 of

Permits on page 11870

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 4 Page 19

Fees Paid \$9.50

STATE OF OREGON, }
County of Marion. } 33.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.14 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

A spring Branch, tributary of Indian Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 25, 1935

Actual construction work shall begin on or before October 31, 1936 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1937

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1938

WITNESS my hand this 31st day of October, 1935

CHAS. E. STRICKLIN

STATE ENGINEER