

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 13696

To appropriate the Public Waters of the State of Oregon

I, J. F. McKinlay (Name of applicant) of 539 N. Winter St., Salem (Postoffice), County of Marion, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring (Name of stream), a tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic use, use in prune drier and irrigation of domestic garden not exceeding 1 1/2 acres in area. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 100 ft. S and 800 ft. W from the NE corner of SE 1/4 SW 1/4 of Section 35, Tp. 6 S., R. 4 W. W. M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 SW 1/4 of Sec. 35, Tp. 6 S., R. 4 W. W. M., in the county of Polk (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe line to be 3000 ± (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NE 1/4 SE 1/4 of Sec. 35, Tp. 6 S., R. 4 W. W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Concrete or wooden box at spring (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3000 ft.; size at intake, 1 1/2 in.; size at 850 ft. from intake 3/4 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 100 ft. Is grade uniform? Fairly Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 S	4 W	35	NE 1/4 SE 1/4	Domestic, prune
			NW 1/4 SE 1/4	drier & garden

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)
Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____

(b) If for domestic use state number of families to be supplied _____ 3

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$...\$50.00
- 12. Construction work will begin on or before Already started
- 13. Construction work will be completed on or before One year after approval
- 14. The water will be completely applied to the proposed use on or before 2 years after approval

J. F. McKinlay
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) V. S. Bovel, Salem
(Name) (Address of witness)

(2) _____, _____
(Name) (Address of witness)

Remarks: Pipe line has been installed for 25 or 30 years and water has been used for at least that period of time, some small changes will be made in the headworks but nothing contained herein shall be construed as relinquishing any vested rights which the applicant may hold

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____
map and balance of fees

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 4, 1935.

WITNESS my hand this 4th day of November, 1935.

CHAS. E. STRICKLIN
STATE ENGINEER

Application No. 15950

Permit No. 11886

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 25th day of July,

1935, at 9:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

December 10, 1935

Recorded in book No. 33 of

Permits on page 11886

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76-A

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed spring

The use to which this water is to be applied is Domestic use, use in prune dryer, and irrigation of a domestic garden not exceeding 1 1/2 acres in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 25, 1935

Actual construction work shall begin on or before December 10, 1936 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before

Oct. 1, 1937 Extended to Oct. 1, 1939

Complete application of the water to the proposed use shall be made on or before

Oct. 1, 1938 Extended to Oct. 1, 1939

WITNESS my hand this 10th day of December, 1935.

CHAS. E. STRICKLIN

STATE ENGINEER