CERTIFICATE NO. 11500

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

| of Gregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation | I, | E. L. Clausen (Name of applications) | ant) |
|--|-----------------|--|---|
| State of Unescon | of | Broadbent | County ofCoos |
| following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is | State of | Oregon (Postoffice) Oregon , do hereby make | e application for a permit to appropriate the |
| 1. The source of the proposed appropriation is the South Fork of the Coquille River (Name of stream) ——————————————————————————————————— | | | |
| 1. The source of the proposed appropriation is the South Fork of the Coquille River (Name of stream) ——————————————————————————————————— | If th | the applicant is a corporation, give date and place | of incorporation |
| A tributary of The Coquille River 2. The amount of water which the applicant intends to apply to beneficial use is | | | |
| 2. The amount of water which the applicant intends to apply to beneficial use is | | | (Name of stream) |
| **3. The use to which the water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is | | | |
| **3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located A4Q. ft. south and 44Q. ft. West from the Souther (N. or S.) corner of .NE4 SW4 Section 32, Township .23 South, Range .12 N. W in Coos .Co., Oragon (Section or subdivision) (If there is more than one point of diversion, each must be described. The separate sheet if necessary) being within the Lot 10 (SE2 SW4) (Give smallest legal subdivision) of Sec. 32 , Tp. 29 S (N. or S.) (Cive smallest legal subdivision) of Sec. 32 , Tp. 29 S (N. or S.) The pipe line to be 1000 feet (Miles or feet) in length, terminating in the NE3 SW4 (Smallest legal subdivision) of Sec. 32 , Tp. 29 S (Smallest legal subdivision) DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam feet, length on top | | per second. 700 gallons per minute | |
| (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located .440 ft south and 440 ft west from the Southea (E. or W.) corner of NE4 SN4 Section .32, Township. 29. South, Range 12. W. W in Coos. Co., 9. Oregon. (Section or subdivision) (If preferable, sive distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot. 10. (SEA SNA) of Sec 32, Tp 29. S (Give smallest legal subdivision) R. 12. W, W. M., in the county of Coos. (Sec. of Sec SNA of Sec SNA (N. or S.)) The pipe line (Main ditch, canal or pipe line) to be 1000. feet (Mine or feet) in length, terminating in the NEA SNA (Smallest legal subdivision) R. 12. W, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DIVERSION WORKS DIVERSION WORKS 6. (a) Height of dam NORS feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate NORS | **9 7 | | |
| corner of NE4 SW4 Section 32, Township 29 South, Range 12 N. W. in Coos Co., Oregon (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 10 (SE4 SW4) of Sec. 32 , Tp. 29 S (N. or S.) R. 12 W , W. M., in the county of Coos 5. The pipe line (Main dich. ennal or pipe line) (Miles or feet) in length, terminating in the NE4 SW4 of Sec. 32 , Tp. 29 S (N. or S.) R. 12 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loces rock, concrete, masonry. rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6! centrifugal Gould Pump. (3th each work of the sum of the sum of the section of the | 0. 1 | (Irrig | ation, power, mining, manufacturing, domestic supplies, etc.) |
| (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 10 (SE4 SW4) of Sec. 32 , Tp. 29 S (N. or S.) R. 12 W , W. M., in the county of COOS 5. The pipe. line (Min ditch, canal or pipe line) (Miles or feet) in length, terminating in the NE4 SW4 (Smallest legal subdivision) of Sec. 32 , Tp. 29 S (N. or S.) R. 12 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6! centarifugal Gould Pump. (Size and type of pump) | 4. 7 | The point of diversion is located .440 ft. sou | th and 440 ft. west from the Southeas. (E. or W.) |
| (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 10 (SEA SWA) of Sec. 32 , Tp. 29 S (Give smallest legal subdivision) R. 12 W , W. M., in the county of COOS 5. The pipe line (Miles or feet) in length, terminating in the NEA SWA of Sec. 32 , Tp. 29 S (M. or 8.) R. 12 W (Miles or feet) in length, terminating in the NEA SWA of Sec. 32 , Tp. 29 S (M. or 8.) R. 12 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry. rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6!". Centarifugal Gould Pump (Size and type of pump) | corner of | NE SW4 Section 32, Township 29 South, (Section or subdiv | Range 12 W.WM. in Coos Co., Oregon |
| being within the Lot 10 (SE SW) (Give smallest legal subdivision) R. 12 W , W. M., in the county of COOS (E. or W.) 5. The pipe line (Main ditch, canal or pipe line) (In length, terminating in the NE SW (Smallest legal subdivision) (E. or W.) (Banlest legal subdivision) (Banlest legal subdivision) (C. or W.) (DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6. Centuring a Gould Pump (Size and type of pump) 7½ Horsepower Electric Motor —700 gal. per mimute | | (If preferable, give distance and bearing | to section corner) |
| R. 12 W | | | |
| 5. The | | | |
| (Miles of feet) in length, terminating in the NE4 SW4 of Sec. 32 , Tp. 29 S (Smallest legal subdivision) R. 12 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate None (c) If water is to be pumped give general description 6!! centrifugal Gould Pump (Size and type of pump) 7½ Horsepower Electric Motor —700 gal. per minute | R. 12 W | , W. M., in the county ofCoos | |
| in length, terminating in the NE ₄ SW ₂ of Sec. 32 , Tp. 29 S (Nors.) R. 12 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6! centrifugal Gould Pump (Size and type of pump) 7½ Horsepower Electric Motor —700 gal. per minute | 5. 7 | The pipe line (Main ditch, canal or pipe line) | |
| R. 12 W | in length, t | terminating in the NE SW | of Sec. 32 , Tp. 29 S |
| 6. (a) Height of dam | R. 12 W | , W. M., the proposed location being shown | (====================================== |
| 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6!! centrifugal Gould Pump (Size and type of pump) 7½ Horsepower Electric Motor 700 gal. per minute | | DESCRIPTION OF | WORKS |
| feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate | Diversion | N Works— | |
| (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6" centrifugal Gould Pump (Size and type of pump) 7½ Horsepower Electric Motor —700 gal. per minute | <i>6</i> . | (a) Height of damnone feet, length of | on top feet, length at bottom |
| (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6" centrifugal Gould Pump (Size and type of pump) 7½ Horsepower Electric Motor —700 gal. per minute | | feet; material to be used and character of | construction(Loose rock, concrete, masonry, |
| (c) If water is to be pumped give general description 6" centrifugal Gould Pump (Size and type of pump) 7½ Horsepower Electric Motor —700 gal. per minute | rock and brush, | a, timber crib, etc., wasteway over or around dam) | |
| 7½ Horsepower Electric Motor —700 gal. per minute | (b) |) Description of headgate none (Timber | r, concrete, etc., number and size of openings) |
| 1Means-1 | _ | | (Size and type of pump) |
| | | ······································ | |

^{*} A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem. Oregon.

| CARTAT | System | AD DYDE | T TATES |
|--------|--------|---------|---------|
| LIANAL | SYSTEM | OR PIPE | LINK- |

| | | | ter line) | • • |
|----------------|---------------------|---|---|---|
| ousand feet. | feet; deptk of a | vater | feet; grade | feet fall per o |
| (b) At | m | iles from he | eadgate: width on top (at water l | line) |
| | feet: width on | bottom | feet; depth of wat | t or fe |
| | feet fall | | • | · |
| | • | | | 20 |
| | | | ; size at intake, 6 in | |
| m intake8 | in.; s | ize at place | of use in.; diffe | erence in elevation betwe |
| | | ft. | Is grade uniform? yes | Estimated capaci |
| 00 gallons p | | | | and the second |
| 8. Location | n of area to be | irrigated, o | r place of use | |
| Township | Range | Section | Forty-acre Tract | Number Acres To Be Irrigated |
| • - | 20 | | ND, CM | |
| 29 S | 12 W | 32 | | |
| | | | Lot 10 (SE ₄ SW ₄) | 11.10 |
| | | | | 45. 10 |
| | , | | | |
| | | | 1 | |
| | | | 4 | · |
| | | | | |
| | | | | |
| | | | | · |
| | | *************************************** | | |
| | , | | , | |
|] | | | | |
| | | | | |
| | | | | |
| | | | e required, attach separate sheet) | |
| (a) Charo | cter of soil | Sandy rive | er bottom loam | |
| (b) Kind | of crops raised . | Alfa | alfa and general farm crop | <u> </u> |
| WER OR MINING | PURPOSES— | | | |
| 9. (a) Ta | tal amount of p | ower to be d | developed | theoretical horsepow |
| (b) Q1 | antity of water | to be used | for power | sec. ft. |
| (c) To | tal fall to be util | lized | (Head) | |
| | | | (Head) neans of which the power is to be | developed |
| (0) 2 | to havare of the | worns og m | ioano of which the power is to be | developed |
| | | | | *************************************** |
| (e) Su | ch works to be l | ocated in | (Legal subdivision) | of Sec |
| (No. N. or S.) | , R(No. E. or | , W. M w.) | | |
| (f) Is | water to be retu | rned to any | stream? | |
| (g) If | so, name strean | n and locate | point of return | |
| | | | , <i>Tp</i> (No. N. or S.) | |
| | | | | |
| (n) The | ie use io which | роwет 18 t0 | be applied is | |
| | | | | |

| MUNICIPAL OR DOMESTIC SUPPLY— | |
|--|---|
| 10. (a) To supply the city of | |
| County, having a | a present population of |
| (Name of) and an estimated population of | |
| (b) If for domestic use state numb | ber of families to be supplied 2 families |
| | one 11, 12, 13, and 14 hr all cands) |
| | |
| 11. Estimated cost of proposed works, | |
| 12. Construction work will begin on or | r beforecomplete |
| 13. Construction work will be complet | ed on or before completed |
| 14. The water will be completely app | lied to the proposed use on or before |
| supp | lied now |
| | E. L. Clausen (Signature of applicant) |
| | |
| | Broadbent, Oreg. |
| | Box 92 |
| Signed in the presence of us as witnesse | es: |
| (1) Eugene E. Laird (Name) | Myrtle Point, Ore, (Address of witness) |
| (2) Wallace B. Dement | Myrtle Point, Ore. |
| (Name) | (Address of witness) |
| Remarks: | |
| | |
| | |
| | |
| | |
| | , |
| • | |
| | |
| | |
| | |
| STATE OF OREGON, | |
| County of Marion, 88. | |
| This is to certify that I have examined to | the foregoing application, together with the accompanying |
| | |
| | |
| | |
| · · · · · · · · · · · · · · · · · · · | |
| | |
| In order to retain its priority, this | application must be returned to the State Engineer, with |
| corrections on or before | , 193 |
| WITNESS my hand this | lay of, 198 |
| | OR IN BUGUE |
| | STATE ENGINEER |

| Application | No. 16094 |
|-------------|-----------|
| Permit No. | 11914 |

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

| | Division No District No | |
|---|---|-----------------------------|
| | This instrument was first received in the office of the State Engineer at Salem, Oregon, | \$ |
| | on the 14th day of October , | • |
| | 193.5., at .8:00 o'clockAM. | |
| | Returned to applicant: | |
| | Corrected application received: | |
| | Approved: | |
| | December 10, 1935 | |
| | Recorded in book No. 33 of | |
| | Permits on page 11914 | |
| • | CHAS. E. STRICKLIN STATE ENGINEER | |
| | Drainage Basin No. 17 Page 401 H Fees Paid \$11.75 | |
| STATE OF OREGON,) | PERMIT | |
| County of Marion. | • | |
| The right herein great and shall not exceed | and the following limitations and conditions: anted is limited to the amount of water which can be be case of rotation with other water users, from South Fork Coquille River | int of diversion from the |
| The use to which th | is water is to be applied is Irrigation | |
| If for irrigation, th | is appropriation shall be limited to $1/80$ th at for each acre irrigated and shall be functioned $2\frac{1}{2}$ acre feet per acre for each acre | of one cubic foot per |
| irrigation season of e | ach year, | |
| and shall be subject to suc | th reasonable rotation system as may be ordered by | y the proper state officer. |
| | work shall begin on or beforeDecember 1 | |
| thereafter be prosecuted w | ith reasonable diligence and be completed on or before | |
| Complete application | n of the water to the proposed use shall be made on | or before |
| | d this 10th day of December , | 193 5. |
| | CHAS. E. STRICKL | IN |
| Permits for power developmen | nt are subject to the neument of enquel fees or provided in sections 1 en | STATE ENGINEER |