

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, City of Monmouth (Name of applicant) of Monmouth (Postoffice), County of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is overflow from Falls City Reservoir (Name of stream), a tributary of Teal Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1.0 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is municipal use (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1450 ft. N. and 500 ft. E. from the center corner of Sec. 32 (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NE 1/4 of Sec. 32, Tp. 8 S (Give smallest legal subdivision) (N. or S.)

R. 6 W., W. M., in the county of Polk (E. or W.)

5. The Pipe line (Main ditch, canal or pipe line) to be 500' (Miles or feet) in length, terminating in the NW 1/4 NE 1/4 of Sec. 32, Tp. 8 S (Smallest legal subdivision) (N. or S.)

R. 6 W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of Monmouth and surrounding territory
.....
..... County, having a present population of 1500
(Name of)
and an estimated population of 2500 in 19340

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

..... Already in use.....

F. R. Bowersox, Mayor
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) V. S. Bovelle Salem, Oregon
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks: Pipe line from reservoir connects to existing line from Teal
Creek and supplements present water supply.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 16134

Permit No. 11941

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of November, 1935, at 3:20 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

December 12, 1935

Recorded in book No. 33 of Permits on page 11941

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 17

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Overflow from Falls City Reservoir

The use to which this water is to be applied is Municipal

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 7, 1935

Actual construction work shall begin on or before December 12, 1936 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1937

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1938

WITNESS my hand this 12th day of December, 1935

CHAS. E. STRICKLIN STATE ENGINEER