

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, May Carroll (Name of applicant) of Union (Postoffice), County of Union, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Catherine Creek (Name of stream), a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 500 ft. S and 1000 ft. W from the NE corner of Sec. 19, T. 4 S., R. 40 E., W.M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1/4 NE 1/4 of Sec. 19, Tp. 4 S, R. 40 E, W.M., in the county of Union

5. The ditch to be is approx. 2 miles in length, terminating in the NE 1/4 NW 1/4 of Sec. 7, Tp. 4 S, R. 40 E, W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

The dam is already built being in the head of the Swackhammer ditch in Catherine Creek

(b) Description of headgate Timber construction, 2 large gates approx. 5' x 5'

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

11957 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 10 feet; width on bottom 10 feet; depth of water 2 feet; grade 1 feet fall per one thousand feet.

(b) At 2 miles from headgate: width on top (at water line) 4 feet; width on bottom 2 feet; depth of water 2 feet; grade 1 feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 4 S, 40 E, 7, S1/2 NE1/4 NW1/4, 20.

(If more space required, attach separate sheet)

(a) Character of soil Black loam

(b) Kind of crops raised Alfalfa and grain

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return Sec. Tp. R. W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before ...All work completed.....

13. Construction work will be completed on or before .....

14. The water will be completely applied to the proposed use on or before .....

May Carroll  
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Henry J. Grath, .....  
(Name) (Address of witness)

(2) W. Halsey, .....  
(Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 193.....

WITNESS my hand this ..... day of ....., 193.....

STATE ENGINEER

Application No. 16137

Permit No. 11957

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 8th day of November

1935, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

January 10, 1936

Recorded in book No. 33 of

Permits on page 11957

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 8 Page 190

Fees Paid \$9.50

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Catherine Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated throughout the irrigation season,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 8, 1935

Actual construction work shall begin on or before January 10, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1939

WITNESS my hand this 10th day of January, 1936

CHAS. E. STRICKLIN

STATE ENGINEER