

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, J. A. Eggleston (Name of applicant) of Enterprise (Postoffice), County of Wallowa, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is large Swamp Spring flowing into Prairie Creek, a tributary of Wallowa River, a tributary of Wallowa River.

2. The amount of water which the applicant intends to apply to beneficial use is one fortieth cubic feet per second. per acre, or one inch per acre.

\*\*3. The use to which the water is to be applied is irrigation.

4. The point of diversion is located 200 ft. S and 200 ft. E from the NW corner of NW 1/4 SW 1/4 Sec. 17, Tp. 2 S., R. 45 E. W. M.

(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW 1/4 SW 1/4 of Sec. 17, Tp. 2 S., R. 45 E. W. M., in the county of Wallowa, Oregon.

5. The Main ditch to be one mile in length, terminating in the SW 1/4 SE 1/4 of Sec. 7, Tp. 2 S., R. 45 E. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 2 1/2 feet, length on top 24 feet, length at bottom 24 feet; material to be used and character of construction timber crib wasteway around dam

(b) Description of headgate timber crib catching the water and flowing it around crib into ditch

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2 1/2 feet; width on bottom 2 feet; depth of water 1/2 feet; grade 12 feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... ft.; size at intake, ... in.; size at ... ft. from intake ... in.; size at place of use ... in.; difference in elevation between intake and place of use, ... ft. Is grade uniform? ... Estimated capacity, ... sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 2 S, 45 E, 18, NE 1/4 NE 1/4, 18. Row 2: 7, SE 1/4 SE 1/4, 12. Row 3: SW 1/4 SE 1/4, 20. Total: 50.

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised Blue grass pasture, hay and grain

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed ... theoretical horsepower.

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized ... feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec. ... (Legal subdivision)

Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ... (Yes or No)

(g) If so, name stream and locate point of return

Sec. ... Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 193\_\_\_\_\_.

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before Construction completed

13. Construction work will be completed on or before " " "

14. The water will be completely applied to the proposed use on or before Already in use  
and has been for many years.

J. A. Eggleston  
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) J. A. Burleigh \_\_\_\_\_, Enterprise, Oregon \_\_\_\_\_  
(Name) (Address of witness)
- (2) Rose Marie Snyder \_\_\_\_\_, Enterprise, Oregon \_\_\_\_\_  
(Name) (Address of witness)

Remarks: This water was taken out many years ago and has been in yearly  
use right along \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for \_\_\_\_\_  
correction \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with  
corrections on or before January 11 \_\_\_\_\_, 1936.

WITNESS my hand this 11th day of December \_\_\_\_\_, 1935

CHAS. E. STRICKLIN  
LN STATE ENGINEER

Application No. 16169

Permit No. 11982

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of December 1935, at 11:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

January 10, 1936

Recorded in book No. 33 of

Permits on page 11982

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 8 Page 209-F

Fees Paid \$12.50

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.83 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

A swamp, tributary of Prairie Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/60th of one cubic foot per second or its equivalent for each acre irrigated, shall be limited to a diversion of not to exceed 1 acre foot per acre for each acre irrigated during any 30-day period from May 1, to July 31, and thereafter shall be limited to a diversion of not to exceed 1 acre foot per acre for each acre irrigated during the remainder of the irrigation season ending October 1, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 4, 1935

Actual construction work shall begin on or before January 10, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1939

WITNESS my hand this 10th day of January, 1936.

CHAS. E. STRICKLIN

STATE ENGINEER