

\*APPLICATION FOR A PERMIT

CERTIFICATE NO. 12133

To appropriate the Public Waters of the State of Oregon

I, Oregon State Game Commission of Portland, Oregon, County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Springs, a tributary of Deschutes River

2. The amount of water which the applicant intends to apply to beneficial use is 6 cubic feet per second.

\*\*3. The use to which the water is to be applied is Fish Culture

4. The point of diversion is located approx. 120 ft. S and ft. from the NW corner of W 1/2 E 1/2 SW 1/4 NE 1/4 Sec. 17, T. 4 S., R. 14 E. Willamette Meridian, Ore.

being within the W 1/2 E 1/2 SW 1/4 NE 1/4 of Sec. 17, Tp. 4 S., R. 14 E., W. M., in the county of Wasco

5. The pipe line to be 200' in length, terminating in the W 1/2 E 1/2 SW 1/4 NE 1/4 of Sec. 17, Tp. 4 S., R. 14 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction concrete rock. A concrete wall 2' x 20' will be constructed along slopes for collection system diverting water into pipe line.

(b) Description of headgate none

(c) If water is to be pumped give general description

\* A different form of application is provided where storage works are contemplated. \*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

12051 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 350 ft.; size at intake, 10 in.; size at 350 ft. from intake 10 in.; size at place of use 10 in.; difference in elevation between intake and place of use, 50 ft. Is grade uniform? no Estimated capacity, 6 sec. ft.

8. Location of area to be irrigated, or place of use Oak Springs Trout Hatchery

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 4 S, 14 E, 17, SW 1/4 NE 1/4, (blank). Subsequent rows are empty.

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet. (Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.) (Legal subdivision)

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return ..... Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 600.00 .....

12. Construction work will begin on or before April 1, 1936 .....

13. Construction work will be completed on or before October 1, 1936 .....

14. The water will be completely applied to the proposed use on or before .....  
October 1, 1936 .....

Oregon State Game Commission

(Signature of applicant)

F. B. Wire, Supervisor

Signed in the presence of us as witnesses:

(1) Matt Ryckman ..... Portland, Oregon  
(Name) (Address of witness)

(2) ? ..... Portland, Oregon  
(Name) (Address of witness)

Remarks: This application, for water to be conveyed to certain grounds set  
aside by Executive Order Number 5803 (Federal)

To increase holding pond capacity at the Oak Springs Trout Hatchery.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for .....

Completion, correction and map

In order to retain its priority, this application must be returned to the State Engineer, with  
corrections on or before February 29, 1936

WITNESS my hand this 29th day of January, 1936

CHAS. E. STRICKLIN

EL

STATE ENGINEER

Application No. 16232

Permit No. 12051

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of January, 1936, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 27, 1936

Recorded in book No. 34 of Permits on page 12051

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 5 Page 18 Fees Paid \$15.00

STATE OF OREGON, ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 6.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Springs

The use to which this water is to be applied is Fish Culture

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 28, 1936

Actual construction work shall begin on or before March 27, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1939

WITNESS my hand this 27th day of March, 1936

CHAS. E. STRICKLIN STATE ENGINEER