

CERTIFICATE NO. 11662

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, City of Monmouth (Name of applicant) of Monmouth (Postoffice), County of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed springs (Name of stream), a tributary of Teal Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1.0 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is municipal use (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 950 ft. S and 2150 ft. E from the NW corner of Sec. 32, T. 8 S., R. 6 W.M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE SW of Sec. 32, Tp. 8 S, R. 6 W, W. M., in the county of Polk (Give smallest legal subdivision) (E. or W.)

5. The pipe line to be 1700' (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SE NW of Sec. 32, Tp. 8 S, R. 6 W, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Small concrete intake at springs (Loose rock, concrete, masonry) rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of Monmouth
.....
..... County, having a present population of 950 & 500 students
(Name of)
and an estimated population of 2500 in 1945.

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$1000.00
- 12. Construction work will begin on or before One year after approval
- 13. Construction work will be completed on or before 2 years after approval
- 14. The water will be completely applied to the proposed use on or before 3 years after approval

City of Monmouth
(Signature of applicant)
By F. R. Bowersox, Mayor

Signed in the presence of us as witnesses:

- (1) V. S. Bovelle, Salem
(Name) (Address of witness)
- (2) _____, _____
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193.....

WITNESS my hand this _____ day of _____, 193.....

STATE ENGINEER

Application No. 16248

Permit No. 12058

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the 13th day of February,

1936, at 10:15 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 27, 1936

Recorded in book No. 34 of

Permits on page 12058

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 17

Fees Paid \$10.00

STATE OF OREGON, }
County of Marion. } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from _____

Unnamed springs

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per
second _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 15, 1936

Actual construction work shall begin on or before March 27, 1937 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before
Oct. 1, 1939

WITNESS my hand this 27th day of March, 1936

CHAS. E. STRICKLIN

STATE ENGINEER