

CERTIFICATE NO. 3475

ASSIGNED, Sec. Misc. Rec. Vol. 2 Page 1021-2
ASSIGNED, Sec. Misc. Rec. Vol. 2 Page 1142

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Howard Dunlap (Name of applicant)
of Gold Hill (Postoffice), County of Jackson,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Sardine Creek and unnamed spring,
(Name of stream)
a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05
cubic feet per second. from spring, and 0.10 from Sardine Creek
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic and garden
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 950 North 400 West
900 ft. North and 500 ft. West from the SE section
(N. or S.) (E. or W.)
corner of Section 5
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE 1/4 SE 1/4 of Sec. 5, Tp 36 S,
(Give smallest legal subdivision) (N. or S.)
R. 3 W, W. M., in the county of Jackson
(E. or W.)

5. The pipe line (Main ditch, canal or pipe line) to be 450' (Miles or feet)
in length, terminating in the SE 1/4 SE 1/4 of Sec. 5, Tp 36 S,
(Smallest legal subdivision) (N. or S.)
R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
Pumped direct from Creek and Spring
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2" double action Fairbanks Morse
(Size and type of pump)
Economy 2 H.P. gas engine
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before 1 year
- 13. Construction work will be completed on or before 2 years
- 14. The water will be completely applied to the proposed use on or before 5 years

Howard Dunlap
(Signature of applicant)
Gold Hill, Ore. R.F.D. No. 1

Signed in the presence of us as witnesses:

- (1) C. A. Smith, Court House, Medford, Ore.
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks: Spring is on Mr. Dunlap's place, and is tributary to Creek; however, it furnishes only about 8 gallons per minute all summer

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 16257

Permit No. 12065

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of February, 1936, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

March 27, 1936

Recorded in book No. 54 of

Permits on page 12065

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 379-U

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from 0.02 sec. ft. from an unnamed spring and 0.08 sec. ft. from Sardine Creek

The use to which this water is to be applied is Domestic, including the irrigation of a domestic garden not exceeding 2 acres in area.

If for irrigation, this appropriation shall be limited to --- of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 25, 1936

Actual construction work shall begin on or before March 27, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1939 Extended to Oct. 1, 1940

WITNESS my hand this 27th day of March, 1936

CHAS. E. STRICKLIN STATE ENGINEER