

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, R. A. Carr (Name of applicant)

of Swisshome (Postoffice), County of Lane

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Almasie Creek, an unnamed creek and an unnamed spring, a tributary of Lake Creek

2. The amount of water which the applicant intends to apply to beneficial use is Six inches, or one-fourth of a cubic foot from each source. cubic feet per second.

**3. The use to which the water is to be applied is Irrigation and domestic

4. The point of diversion/is located 200 ft. N and 850 ft. W from the NE corner of Section 18, being within the SW 1/4 SE 1/4 SE 1/4 Sec. 7, T. 17 S., R. 8 W.,

From the unnamed spring - 200 ft. S. from the NW corner of the NE 1/4 NE 1/4 of Sec. 18, being within the NE 1/4 NE 1/4 of Sec. 18, T. 17 S., R. 8 W., from the unnamed creek - 200 ft. W. from N 1/4 corner of Section 18.

being within the NE 1/4 NW 1/4 NW 1/4 of Sec. 18, Tp. 17 S, R. 8 W, W. M., in the county of Lane

5. The main flume to be 500 feet in length, terminating in the NW 1/4 NE 1/4 NE 1/4 of Sec. 18, Tp. 17 S, R. 8 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Water in all cases to be simply diverted by gravity

(b) Description of headgate none

(c) If water is to be pumped give general description no pump

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
17 S	8 W	18	NE $\frac{1}{4}$ NE $\frac{1}{4}$	15
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	5
			PLACE OF USE FOR DOMESTIC:	
17 S	8 W	18	NE $\frac{1}{4}$ NE $\frac{1}{4}$	

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam and some clay

(b) Kind of crops raised General farm crops

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied one family

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200.00

12. Construction work will begin on or before March 1, 1936

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

..... July 1, 1936

..... R. A. Carr
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Marion P. Wheeler Greenleaf, Ore.
(Name) (Address of witness)

(2) Alice M. Wheeler Greenleaf, Ore.
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

Examination and signature

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 2 1936..

WITNESS my hand this 2nd day of March 1936....

..... CHAS. E. STRICKLIN
STATE ENGINEER

Application No. 16247

Permit No. 12077

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of February, 1936, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

April 30, 1936

Recorded in book No. 34 of Permits on page 12077

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 18 Page 418-C Fees Paid \$14.50

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.27 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Almasie Creek, an unnamed creek and an unnamed spring, being 0.09 s.f. from each source

The use to which this water is to be applied is irrigation and domestic, being 0.25 s.f. for irrigation and 0.02 s.f. for domestic

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 13, 1936

Actual construction work shall begin on or before April 30, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

Oct. 1, 1938 Extended to Oct. 1, 1939 Extended to Oct. 1, 1942 Extended to Oct. 1, 1946 Extended to Oct. 1, 1948

Complete application of the water to the proposed use shall be made on or before

Oct. 1, 1939 Extended to Oct. 1, 1940 Extended to Oct. 1, 1942 Extended to Oct. 1, 1947 Extended to Oct. 1, 1948

WITNESS my hand this 30th day of April, 1936

CHAS. E. STRICKLIN

STATE ENGINEER