

76493
76443
CERTIFICATE NO. 12510

***APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, The Travelers Insurance Company
(Name of applicant)
of Hartford
(Postoffice), County of Hartford
State of Connecticut, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

- The source of the proposed appropriation is Maxfield Creek, sometimes known as Rice Creek
(Name of stream), a tributary of Luckiamute River, and Luckiamute River a tributary of the Willamette River
- The amount of water which the applicant intends to apply to beneficial use is five/ninths (5/9ths) three-ninths (3/9) primary right cubic feet per second from Maxfield Creek and/ cubic feet per second from Luckiamute River and three-ninths (3/9ths) cubic (if water is to be used from more than one source, give quantity from each) feet per second supplemental right from Luckiamute River.
- The use to which the water is to be applied is irrigation

4. The points of diversion on Maxfield Creek are as follows:
- Approximately 340 feet upstream from the point where the center line of the Kings Valley market road intersects the center of Maxfield Creek which point is on the South line of the Rowland Chambers D. L. C. #48 and is South 81° 18' East 32.5 chains distant from the Southwest corner of said D.L.C.
 - On the right bank of Maxfield Creek at a point approximately 60 feet downstream from the above described point which is the intersection of the center line of the Kings Valley Market Road and center of Maxfield Creek.

The point of diversion from the Luckiamute River is as follows:
From the right bank of said Luckiamute River 10 ft. downstream in a North-westerly direction from the following described point: A point on the South line of the Rowland Chambers D.L.C. #48 where said South line intersects the center of said Luckiamute River and which point is South 81° 18' East 17.768 chains distant from the Southwest corner of said D.L.C.

The first point of diversion from Maxfield Creek being in the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 21, Tp. 10 South, R. 6 West. The second point of diversion from Maxfield Creek being in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 16, Tp. 10 S., R. 6 W. The point of diversion from the Luckiamute River being in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 17, Tp. 10 S., R. 6 W.

(b) Description of headgate timber - one opening - 4' wide
(Timber, concrete, etc., number and size of openings)

Luckiamute River -
(c) If water is to be pumped give general description Parma lift - screw type - 2 second-feet capacity - 16' head lift - gas engine - 8 horse power.
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.
** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

RE 6411 - Braly

Application No. 16259

Permit No. 12079

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 26th day of February

1936, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

April 30, 1936

Recorded in book No. 34 of

Permits on page 12079

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 15 & 17

Fees Paid \$14.60

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the quantity of water which can be applied to beneficial use and shall not exceed 0.53 cubic foot per second from Luckiamute River and 0.27 cubic foot per second from Maxfield Creek, measured at the points of diversion from the streams, or the equivalent thereof in case of rotation with other users, provided that an additional amount may be appropriated from Luckiamute River at such times as there is not sufficient water in Maxfield Creek to allow a diversion of 0.27 cubic foot per second, provided further that the total quantity appropriated from both sources shall not exceed 0.80 cubic foot per second, measured at the points of diversion.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 26, 1936

Actual construction work shall begin on or before April 30, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1939

WITNESS my hand this 30th day of April, 1936

CHAS. E. STRICKLIN

STATE ENGINEER