CERTIFICATE NO. 14607

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I,	Ernest Theod		applicant)	
of	Roseburg			Douglas
State of .	·	•	make application for a	a permit to appropriate the
following	described public water	s of the State of Ore	gon, SUBJECT TO E	XISTING RIGHTS:
If	the applicant is a corpo	ration, give date and	place of incorporation	
1.	The source of the prop	posed appropriation is	, North Umpqua F	liver
		, a tributar	_	
2.	The amount of water	which the applicant in	tends to apply to beney	ficial use is 0.1
cubic feet	per second			
	The use to which the r		is irrigation and	
4.	The point of diversion	is located ft.	and f	t from the
corner of		(Section o	r subdivision)	
		(If preferable, give distance and	bearing to section corner)	23 and 24, Tp. 26 S.,
	Willamette Meridia (If there is more than	an one point of diversion, each m	ust be described. Use separate she	et if necessary)
being wit	thin the SN_{4}^{\perp} NE_{4}^{\perp} (Given	s smallest legai subdivision)	of Sec. 23	, Tp. 26 S
(TE. or	, W. M., in the co			
	Thepipe lin	(Main ditch, canal or pipe line)		(Miles or feet)
in length,	terminating in the3	.O acre SW1 NE1	of Sec	23 , Tp. 26 S
R. 6 W	, W. M., the prop	osed location being st	nown throughout on th	e accompanying map.
		DESCRIPTION	OF WORKS	
Diversion	N Works			
			_	feet, length at bottom
	feet; material to	be used and characte	r of construction	(Loose Yock, concrete, masonry,
rock and brush	h, timber crib, etc., wasteway over			
(b) Description of headg	nate no headgate, s	action pipe in rive	d size of openings)
) If water is to be pur	mped give general des	scription 4 inch c	entrifugal 500 Gal. min
odel T.	Ford engine 18 -	20 feet	d. total head water is to be lifted	d, etc.)
lso smal	11 Myer Pump - $1\frac{1}{2}$ H	.P. Gas Engine 40	O gal. p. hr.	

^{*} A different form of application is provided where storage works are contemplated

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

(a)		contracts and additional section of the	· ·	
CANAL SYSTEM OF	р Рург Тлага			
		at each point of c	anal where materially cha	nged in size, stating miles from
6	3" suction of	ine placed in	river	feet; width on botton
				,
thousand feet.	jeei; aepin oj	water	jeet; graae	feet fall per or
(b) At		miles from head	gate: width on top (at wa	ter line)
	feet; width o	n bottom	feet; depth of	water fee
grade	feet fa	ll per one thousa	nd feet.	
(c) Lengt	th of pipe,	. 6 ft.; si	ze at intake,8	in.; size at15 f
from intake	8 in :	size at place of	use 8 in in	difference in elevation betwee
				yes Estimated capacity
150-500 gal. pe		-9	grade uniforms	
	•			
8. Location	on of area to b	e irrigated, or p	place of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
26 S	6 W	23	SW4 NE4	3.0
			SE ¹ NE ¹	3.0
			••••••	
				·
			·····	
	•••••		•••••	
	•			
		·	uired, attach separate sheet)	
(a) Chare	acter of soil			
	•		•	
		AALSALS.		
Power or Mining		nower to be dev	eloned	theoretical horsepowe
	-			_
			r power	sec, jt.
(c) To	otal fall to be ut	tilized	(Head)	
(d) The second of the secon	he nature of th	e works by mea	ns of which the powe r is t	to be developed
			(Legal subdivision)	of Sec
	, R	, W. M.		
(No. N. or S.)	(No. E. o	,		
		•	ream?(Yes or No)	
(f) Is	water to be rea	turned to any st	(Yes or No)	

(i) The nature of the mines to be served

Mun	ICIPAL OR DOMESTIC SUPPLY—						
	10. (a) To supply the city of						
		a present population of					
and (an estimated population of	in 193					
	(b) If for domestic use state num	ber of families to be supplied one					
	(Answer quest	ions 11, 12, 13, and 14 in all cases)					
	11 Fetimated east of proposed works	\$ 450.00					
	·	. Estimated cost of proposed works, \$450.00. . Construction work will begin on or before					
	•	olied to the proposed use on or beforesoon as available					
		Ernest T. Unrath					
		(Signature of applicant) 330 W. Oak St.					
		Roseburg, Oregon					
	Signed in the presence of us as witness	es:					
(1)		, Roseburg, Oregon					
(0)	(Name) D. E. Hennigh	(Address of witness)					
(2)	(Name)	Roseburg, Ore. (Address of witness)					
		the foregoing application, together with the accompanying					
		application must be returned to the State Engineer, with					
corr	ections on or before						
2011		day of, 193, 193					
		STATE ENGINEER					

Application	No. 16268
Permit No	12086

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.....

This instrument was first received in the

	office of the State Engineer at Salem, Oregon,
	on the 3rd day of March,
	193.6., at 1:00 o'clock P. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	April 30, 1936
	Recorded in book No. 34 of
	Permits on page 12086
	CHAS, E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 16 Page 393-A Fees Paid \$14.50
STATE OF OREGON, County of Marion.	PERMIT
subject to existing rights an The right herein gran	I have examined the foregoing application and do hereby grant the same, and the following limitations and conditions: Ited is limited to the amount of water which can be applied to beneficial use
	Q cubic feet per second measured at the point of diversion from the case of rotation with other water users, from
	North Umpqua River
	water is to be applied is Irrigation and domestic, being 0.08 and 0.02 sec. ft. for domestic
	appropriation shall be limited to 1/80th of one cubic foot per t for each acre irrigated and shall be further limited to a
	ceed $2\frac{1}{3}$ acre feet per acre for each acre irrigated during the ach year,
and shall be subject to such	reasonable rotation system as may be ordered by the proper state officer.
The priority date of t	his permit is March 3, 1936
Actual construction u	work shall begin on or before April 30, 1937 and shall
thereafter be prosecuted with Oct. 1, 1938 Extended to Oct. 1	h reasonable diligence and be completed on or before
Complete application	of the water to the proposed use shall be made on or before
	this 30th day of April , 193 6
	CHAS. E. STRICKLIN STATE ENGINEER