

*APPLICATION FOR A PERMIT CERTIFICATE NO. 11755

To appropriate the Public Waters of the State of Oregon

I, Charles Vernosky (Name of applicant) of Route 2, Box 422 A, Portland (Postoffice), County of Multnomah State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a spring has no channel does not flow into no stream, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 5/8 gallons per minute cubic feet per second.

**3. The use to which the water is to be applied is domestic supplies

4. The point of diversion is located 380 ft. N and 200 ft. W from the SE corner of NE 1/4 of Section 16

being within the SE 1/4 NE 1/4 of Sec. 16, Tp. 1 N R. 1 W, W. M., in the county of Multnomah

5. The pipe line to be 210 ft. in length, terminating in the SE 1/4 NE 1/4 of Sec. 16, Tp. 1 N R. 1 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

12111 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 205 ft.; size at intake, 1 in.; size at 10 ft. from intake 3/4 in.; size at place of use 1/2 in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? yes Estimated capacity, 4 1/2 gal. per min. sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 1 N, 1 W, 16, SE 1/4 NE 1/4, Domestic use.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 75.00

12. Construction work will begin on or before already completed

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before
completed and in use

Charles Vernosky
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Geo. O. Clayville, 3207 S.E. 85th Ave., Portland, Ore.
(Name) (Address of witness)

(2) _____, _____
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for
completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 4, 1936.

WITNESS my hand this 5th day of March, 1936.

CHAS. E. STRICKLIN
LN STATE ENGINEER

Application No. 16269

Permit No. 12111

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 4th day of March

1936, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

May 29, 1936

Recorded in book No. 34 of

Permits on page 12111

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 62 b

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

A spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 4, 1936

Actual construction work shall begin on or before May 29, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before

Oct. 1, 1939

WITNESS my hand this 29th day of May, 1936

CHAS. E. STRICKLIN

STATE ENGINEER