

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Jacob A. Weber (Name of applicant) of Portland (Postoffice), County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Minthorne Creek (Name of stream), a tributary of Matlock and Kellogg Creeks

2. The amount of water which the applicant intends to apply to beneficial use is 0.025 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 128 ft. S and 382 ft. W from the NE corner of Section 6, T. 2 S., R. 2 E. (Section or subdivision) (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NE 1/4 of Sec. 6, Tp. 2 S., R. 2 E., W. M., in the county of Clackamas (Give smallest legal subdivision) (No. N. or S.) (No. E. or W.)

5. The pipe line (Main ditch, canal or pipe line) to be 400 ft. (No. miles or feet) in length, terminating in the NE 1/4 NE 1/4 of Sec. 6, Tp. 2 S., R. 2 E., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake, 2 in.; size at 250 ft. from intake 2 in.; size at place of use 1 1/4 in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? no Estimated capacity, 30 gal. per minute. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
2 S	2 E	6	NE 1/4 NE 1/4	2
.....
.....
.....
.....
.....
.....
.....

(If more space required, attach separate sheet)

(a) Character of soil chocolate loam

(b) Kind of crops raised garden, lawn & orchard

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(Answer questions 12, 13, 14 and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 250.00.....
- 13. Construction work will begin on or before June 1, 1936.....
- 14. Construction work will be completed on or before Jan. 1, 1937.....
- 15. The water will be completely applied to the proposed use on or before Expect to use
water by July 1, 1936.....

Jacob A. Weber
(Name of applicant)
1835 N.E. Irving St., Portland, Oregon.....

Signed in the presence of us as witnesses:

- (1) John F. Divine Milwaukie, Oregon.....
(Name) (Address of witness)
- (2) Chas. Legler Gladstone, Oregon.....
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 16327

Permit No. 12131

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Ore-
gon, on the 21st day of April,
1936, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

May 29, 1936

Recorded in book No. 34 of
Permits on page 12131

CHAS. E. STRICKLIN

STATE ENGINEER

2-76 b

\$9.50

STATE OF OREGON, }

ss.

County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
measured at the point of diversion from the stream
and shall not exceed 0.025 cubic feet per second/or its equivalent in case of rotation with other
water users, from Minthorne Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a diver-
sion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation
season of each year, and shall be subject to such reasonable rotation system as may be
ordered by the proper state officer.

The priority date of this permit is Apr. 21, 1936 for O.O.P.S.I. & Apr. 25, 1936 for O.O.P.S.I.

Actual construction work shall begin on or before May 29, 1937 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before
Oct. 1, 1939

WITNESS my hand this 29th day of May, 1936.

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.