

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. F. Kausen, Post office Address: Ferndale, California, or W. F. Kausen farm, Coquille City, McKinley Route of Coos County, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Kausen Creek, a tributary of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic feet per second.

\*\*3. The use to which the water is to be applied is domestic supplies and barn and dairy herd

4. The point of diversion is located 55 ft. W and 130 ft. S from the NE corner of NW 1/4 NE 1/4 Section 30, Tp. 28 S., R. 12 W.

being within the NW 1/4 NE 1/4 of Sec. 30, Tp. 28 S, R. 12 W, W. M., in the county of Coos

5. The pipe line to be about 1/2 mile in length, terminating in the NW 1/4 NW 1/4 of Sec. 30, Tp. 28 S, R. 12 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 8 feet, length on top 20 feet, length at bottom 10 feet; material to be used and character of construction concrete

(b) Description of headgate ordinary screened intake to pipe

(c) If water is to be pumped give general description

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 193\_\_\_\_\_.

(b) If for domestic use state number of families to be supplied 1 family and help

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ Dam and pipe line have been finished for some time, cost about \$300.00. Necessary repairs will cost about \$25.00
- 12. Construction work will begin on or before finished
- 13. Construction work will be completed on or before finished
- 14. The water will be completely applied to the proposed use on or before June 1, 1936

W. P. Kausen  
(Signature of applicant)

By A. M. Sunstrup  
\_\_\_\_\_ as agent

Signed in the presence of us as witnesses:

- (1) Bennett Swanton, Jr. \_\_\_\_\_, 324 Highland Ave., Marshfield, Oregon  
(Name) (Address of witness)
- (2) Hans Selfors \_\_\_\_\_, North Bend, Ore.  
(Name) (Address of witness)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_  
\_\_\_\_\_ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 1 \_\_\_\_\_, 1936.

WITNESS my hand this 1st day of May, 1936

CHAS. E. STRICKLIN  
STATE ENGINEER

Application No. 16318

Permit No. 12148

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 14th day of April

1936, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

May 29, 1936

Recorded in book No. 34 of

Permits on page 12148

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 401 H

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Kausen Creek, tributary of Coquille River

The use to which this water is to be applied is Domestic, stock water and dairy supply

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 14, 1936

Actual construction work shall begin on or before May 29, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1939

WITNESS my hand this 29th day of May, 1936

CHAS. E. STRICKLIN STATE ENGINEER