

***APPLICATION FOR A PERMIT** ~~CERTIFICATE~~ NO. 12148

To Appropriate the Public Waters of the State of Oregon

I, Oregon State Game Commission
(Name of applicant)
of Portland, (Postoffice), County of Multnomah,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Umatilla River
(Name of stream)
_____, a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is _____
cubic feet per second. forty acre feet a year
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is for irrigation of pheasant pens
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 100 ft. South and 600 ft. East from the NW
(N. or S.) (E. or W.)
corner of Section 10
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW¹/₄ NW¹/₄ of Sec. 10, Tp. 2 N,
(Give smallest legal subdivision) (N. or S.)
R. 33 E, W. M., in the county of Umatilla
(E. or W.)

5. The pipe line _____ to be 700 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW¹/₄ NW¹/₄ of Sec. 10, Tp. 2 N,
(Smallest legal subdivision) (N. or S.)
R. 33 E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom
_____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry)
No. dam
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Allis-Chalmers
(Size and type of pump)
2 1/2" x 2 1/4" Type SS HH Centrifugal pump. Total head 105 at 3500 R.M.P.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
7 1/2 H.P. 3500 R.M.P.

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 4,000.00
- 12. Construction work will begin on or before January, 1936
- 13. Construction work will be completed on or before August 1, 1936
- 14. The water will be completely applied to the proposed use on or before August 1, 1936

OREGON STATE GAME COMMISSION
(Signature of applicant)

By F. B. Wire

State Game Supervisor

Signed in the presence of us as witnesses:

- (1) Miriam Kautta 616 Oregon Building, Portland, Oregon
(Name) (Address of witness)
- (2) W. Mangold 616 Oregon Building, Portland, Oregon
(Name) (Address of witness)

Remarks: The water being applied for in the above application is to be replaced in the amount used from waters in McKay Reservoir, in accordance with the terms of the contract with the United States Bureau of Reclamation, a copy of which contract is attached.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 16465

Permit No. 12261

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 13th day of July

1936, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 5, 1936

Recorded in book No. 34 of

Permits on page 12261

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 7 Page 13

Fees Paid \$9.50

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.17 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Umatilla River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/60th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 13, 1936

Actual construction work shall begin on or before September 5, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1939

WITNESS my hand this 5th day of September, 1936

CHAS. E. STRICKLIN

STATE ENGINEER