

*APPLICATION FOR A PERMIT

CERTIFICATE NO. 14126

To appropriate the Public Waters of the State of Oregon

I, C. W. Chambers (Name of applicant) of Philomath (Postoffice), County of Benton, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is #1 Woods Creek, #2 Price Creek (Name of stream) #3 Luckiamute River, a tributary of Luckiamute & Willamette Rivers

2. The amount of water which the applicant intends to apply to beneficial use is 1 cubic feet per second. #1 - 4 #2 - 4 #3 - 2 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (manufacturing, domestic supplies, etc.)

#1 - The point of diversion is located 100 ft. S. and 75 ft. E. from the NW corner of the SE 1/4 SE 1/4 Sec. 21, T. 10 S., R. 6 W. 6 W from the SE (E. or W.)

#3 - The point of diversion is located 50 ft. N. and 50 ft. W. from the SE corner of the NE 1/4 SE 1/4 Sec. 20, T. 10 S., R. 6 W. et if necessary 11 in Tp 10 S (N. or S.)

2600 ft. (Miles or feet) 8 Tp 10 S (N. or S.)

R. 6 W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS

#2 6. (a) Height of dam 2 feet, length on top 5 feet, length at bottom 5 feet; material to be used and character of construction timber and dirt (Loose rock, concrete, masonry,

wasteway over dam rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate no headgate (Timber, concrete, etc., number and size of openings)

#1 and 3 (c) If water is to be pumped give general description 3 inch centrifugal (Size and type of pump) 6 horse gas engine. Total head #1 - 15 ft. #3 - 20 ft. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

12281 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet. #1 - 300 ft. 5# pipe #3 - gravity flooding from pump.

#2 (c) Length of pipe, 2600 ft.; size at intake, 3 in.; size at 300 ft. from intake 2 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? yes Estimated capacity, .4 sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Contains entries for #2, #1, and #3.

(If more space required, attach separate sheet)

(a) Character of soil Salem clay loam

(b) Kind of crops raised Garden

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed ... theoretical horsepower.

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized ... feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec. (Legal subdivision)

Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..., Sec. ..., Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$... 840
- 12. Construction work will begin on or before July 1, 1936
- 13. Construction work will be completed on or before August 1, 1938
- 14. The water will be completely applied to the proposed use on or before August 1, 1938

C. W. Chambers
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Mabel Cummings Philomath, Ore.
(Name) (Address of witness)
- (2) G. W. Cummings Philomath, Ore.
(Name) (Address of witness)

Remarks: #2 - Water from Woods Creek is to be used to irrigate lawn, garden, berries, etc., and for livestock and domestic other than drinking purposes.

#1 and 3 - To be used to irrigate ladino clover and other pasture crops.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 16477

Permit No. 12281

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 18th day of July

1936, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 15, 1936

Recorded in book No. 34 of

Permits on page 12281

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 15 & 17

Fees Paid \$9.50

STATE OF OREGON, County of Marion. ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.16 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Woods & Price Creeks and Luckiamute River, being 0.09 sec. ft. from Woods Cr.; 0.03 s.f. from Price Cr.; and 0.04 s.f. from Luckiamute River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 18, 1936

Actual construction work shall begin on or before October 15, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938 Extended to 10-1-40

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1939 Extended to 10-1-40

WITNESS my hand this 15th day of October, 1936

CHAS. E. STRICKLIN STATE ENGINEER