

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, First National Bank of Tillamook (Name of applicant) of Tillamook (Postoffice), County of Tillamook, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation 1907 - Tillamook, Oregon

1. The source of the proposed appropriation is Unnamed stream (Name of stream), a tributary of Big Westucca River

2. The amount of water which the applicant intends to apply to beneficial use is 0.008 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 225 ft. N (N. or S.) and 370 ft. W (E. or W.) from the SE corner of SW 1/4 SW 1/4 Sec. 1, T. 4 S., R. 10 W.W.M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.) being within the SW 1/4 SW 1/4 of Sec. 1, Tp. 4 S (N. or S.), R. 10 W (E. or W.), W. M., in the county of Tillamook

5. The pipe line (Main ditch, canal or pipe line) to be 1000 ft. (Miles or feet) in length, terminating in the NW 1/4 NW 1/4 of Sec. 12, Tp. 4 S (N. or S.), R. 10 W (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 2 feet, length on top 4 feet, length at bottom 4 feet; material to be used and character of construction over concrete box (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate pipe extended through concrete box (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$...50.00.....
- 12. Construction work will begin on or before now complete.....
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

in use now

.....
First National Bank
(Signature of applicant)
.....
Tillamook, Oregon
.....
By W. J. Riechers, Pres.

Signed in the presence of us as witnesses:

- (1) Henry Someke Tillamook, Oregon.....
(Name) (Address of witness)
- (2) E. J. Claussen Tillamook, Oregon.....
(Name) (Address of witness)

Remarks:

..... The water is to be used for farm and domestic use with a 50 ft. head,
and 1000 ft. of 3/4" galvanized pipe. The stream is very small with but small
watershed

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 16534

Permit No. 12330

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 24th day of August

1936, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 15, 1936

Recorded in book No. 34 of

Permits on page 12330

CHAS. E. STRICKLIN

STATE ENGINEER

1-16 A

\$10.00 PERMIT

STATE OF OREGON, ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use measured at the point of diversion from the stream, and shall not exceed 0.008 cubic feet per second, or its equivalent in case of rotation with other water users, from Unnamed stream

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 24, 1936

Actual construction work shall begin on or before October 15, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1939

WITNESS my hand this 15th day of October, 1936

CHAS. E. STRICKLIN

STATE ENGINEER