

CERTIFICATE NO. 12390

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Albert Strandberg, John Sandstrom & Francis Sandstrom (Name of applicant)

of Gaston R #1 (Postoffice), County of Washington, State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation No.

1. The source of the proposed appropriation is Spring trib. of Unnamed trib. (Name of stream)

a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.03 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1900 ft. N. and 1400 ft. W. from the SE corner of Section 19, T. 1 S., R. 3 W., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 or Lot 50 of Spring Hill Farm Add. of Sec. 19, Tp. 1 S., R. 3 W., W.M., in the county of Washington (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe line (Main ditch, canal or pipe line) to be 1900 feet (Miles or feet) in length, terminating in the NE 1/4 of Sec. 19, Tp. 1 S., R. 3 W., W.M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Spring boxed with lumber 9' x 9' x 6' deep. Covered top. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1900 ft.; size at intake, 1 in.; size at 1300 ft. from intake 3/4 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 110 approx. ft. Is grade uniform? Fairly Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

| Township | Range | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|------------------------|-------|---------|--|------------------------------|
| #1 house 1 S. | 3 W. | 19 | NE 1/4 SW 1/4 or Lot 39 of Spring Hill Farm Add. | Dom. & Lawn |
| #2 house 1 S. | 3 W. | 19 | NW 1/4 SE 1/4 or Lot 35 of Spring Hill Farm Add. | " " |
| #3 house 1 S. | 3 W. | 19 | NW 1/4 SE 1/4 or Lot 37 of Spring Hill Farm Add. | " " |
| | | | | |
| #2 - Albert Strandberg | | | | |
| | | | | |
| #3 - John Sandstrom | | | | |
| | | | | |
| #1 - Francis Sandstrom | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)
 Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return
, Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193.....

(b) If for domestic use state number of families to be supplied 3 families

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500
- 12. Construction work will begin on or before Nov. 15, 1936
- 13. Construction work will be completed on or before Nov. 15, 1937
- 14. The water will be completely applied to the proposed use on or before Sept. 1, 1938

Francis Sandstrom
(Signature of applicant)
Albert Strandberg
John Sandstrom

Signed in the presence of us as witnesses:

- (1) Chester A. Cummings, _____
(Name) (Address of witness)
- (2) _____, _____
(Name) (Address of witness)

Remarks: Albert Strandberg has used and had spring piped to house for two years. But carried water from spring to house since 1921.

Francis & John Sandstrom have never used water from spring.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193.....

WITNESS my hand this _____ day of _____, 193.....

STATE ENGINEER

Application No. 16559

Permit No. 12346

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 2nd day of September

1936, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 15, 1936

Recorded in book No. 34 of

Permits on page 12346

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 62-b

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is Domestic, including garden irrigation

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 2, 1936

Actual construction work shall begin on or before October 15, 1937 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1939

WITNESS my hand this 15th day of October, 1936.

CHAS. E. STRICKLIN

STATE ENGINEER