

***APPLICATION FOR A PERMIT** CERTIFICATE NO. 12158

To appropriate the Public Waters of the State of Oregon

I, R. E. Steele (Name of applicant)
of Route #2, Springfield, County of Lane
(Postoffice)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation
no

1. The source of the proposed appropriation is Unnamed (Name of stream)
a tributary of McKenzie River

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. .06 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation and domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 50 ft. S and 150 ft. E from the N.W.
(N. or S.) (E. or W.)
corner of L 3 Sec. 17 T 17 S. R. 1 E.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE 1/4 of NW 1/4 of Sec. 17, Tp. 17 S,
(Give smallest legal subdivision) (N. or S.)
R. 1 E, W. M., in the county of Lane
(E. or W.)

5. The 300 feet (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 of NW 1/4 of Sec. 17, Tp. 17 S,
(Smallest legal subdivision) (N. or S.)
R. 1 E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 6 feet, length on top 12 feet, length at bottom
12 feet; material to be used and character of construction Timber
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Pipe inlet
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 300 ft.; size at intake, 3" in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use **Domestic and Irrigation**

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
17 S	1 E	17	SE $\frac{1}{4}$ NW $\frac{1}{4}$	4

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam
 (b) Kind of crops raised Garden

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec., Tp., R., W. M. (Legal subdivision)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193.....

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

_____ R. E. Steele
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Frank B. Reid _____ Eugene, Oregon
(Name) (Address of witness)
- (2) Charles L. O. Edwards _____ Eugene, Oregon.
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193.....

WITNESS my hand this _____ day of _____, 193.....

STATE ENGINEER

Application No. 16623

Permit No. 12404

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of October, 1936, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

January 8, 1937

Recorded in book No. 35 of

Permits on page 12404

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 28

Fees Paid \$14.50

STATE OF OREGON, ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed stream

The use to which this water is to be applied is Irrigation and domestic, being 0.05 c.f.s. for irrigation and 0.01 c.f.s. for domestic

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 8, 1936

Actual construction work shall begin on or before January 8, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1938

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1939

WITNESS my hand this 8th day of January, 1937.

CHAS. E. STRICKLIN

STATE ENGINEER