

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, W. A. Gilkey

(Name of applicant)

of Scio, Route, 3, County of Linn, State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Thomas Creek, a tributary of S. Santiam

2. The amount of water which the applicant intends to apply to beneficial use is 0.38 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located ... ft. ... and ... ft. ... from the corner of ... Point of diversion will be various points along the stream as the pump system will be of a portable nature.

being within the SW 1/4 of SW 1/4 of NW 1/4 of Sec. 23, Tp. 10 S, R. 2 W, W. M., in the county of Linn

5. The Ditch to be ... in length, terminating in the ... of Sec. 23, Tp. 10 S, R. 2 W, W. M., the proposed location being shown throughout on the accompanying map. Ditches are temporary and would be changed each season according to cropping system

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam None feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$...500.00.....
- 12. Construction work will begin on or before One year after approval.....
- 13. Construction work will be completed on or before 2 years after approval.....
- 14. The water will be completely applied to the proposed use on or before 3 years after approval.....

W. A. Gilkey
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) M. Cummings Albany, Oregon.
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 4, 1937.

WITNESS my hand this 4th day of January, 1937.

CHAS. E. STRICKLIN
LN

STATE ENGINEER

Application No. 16737

Permit No. 12520

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of January, 1937, at 2:45 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 12, 1937

Recorded in book No. 35 of

Permits on page 12520

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 51

Fees Paid \$9.50

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.38 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Thomas Creek, tributary South Santiam

The use to which this water is to be applied is

Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre-feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 4, 1937

Actual construction work shall begin on or before March 12, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1939

Extended to Oct. 1, 1941

Extended to Oct. 1, 1944

Extended to Oct. 1, 1950

Extended to Oct. 1, 1946

Extended to Oct. 1, 1951

Extended to Oct. 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1940

Extended to Oct. 1, 1941

Extended to Oct. 1, 1944

Extended to Oct. 1, 1950

Extended to Oct. 1, 1946

Extended to Oct. 1, 1951

Extended to Oct. 1, 1952

WITNESS my hand this 12th day of March, 1937

CHAS. E. STRICKLIN

STATE ENGINEER