

APPROPRIATE NO. 13498

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Arnold Kuemin (Name of applicant) of Gaston, Route 2, (Postoffice), County of Washington, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Tualatin River and Drainage waters from Hayes and Brown farm through the Westside Drainage Canal of Wapato Lake, a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is .37 cubic feet per second. Irrigation 750'

**3. The use to which the water is to be applied is From the Tualatin River--N. 55° 55' W. / from the NW 1/4 corner of the NW 1/4 of Sec. 36, T. 1 S., R. 4 W. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of From drainage canal at any point along drainage canal in the NE 1/4 NW 1/4 and SE 1/4 NW 1/4 & SW 1/4 NE 1/4 and NW 1/4 SE 1/4 of Section 12, T., 2 S., R. 4 W. Portable Pump (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) From Tualatin R. being within the NW 1/4 SW 1/4 and NW 1/4 SE 1/4 of Sec. 36, Tp. 1 S., R. 4 W., W. M., in the county of Yamhill

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS--

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 4" Centrifugal Pump (Size and type of pump) Tractor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____.

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 600.00 _____
- 12. Construction work will begin on or before One year after approval _____
- 13. Construction work will be completed on or before Two years after approval _____
- 14. The water will be completely applied to the proposed use on or before 3 years after approval _____

Arnold Kuemin
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Chester A. Cummings, _____
(Name) (Address of witness)
- (2) _____, _____
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193_____.

WITNESS my hand this _____ day of _____, 193_____.

STATE ENGINEER

Application No. 16769

Permit No. 12541

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of February, 1937, at 2:30 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

March 12, 1937

Recorded in book No. 35 of

Permits on page 12541

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 53-62-C

Fees Paid \$9.50

STATE OF OREGON, ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.037 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Tualatin River and Drainage Waters from Hayes & Brown Farm through Westside Drainage canal of Wapato Lake.

The use to which this water is to be applied is

Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 10, 1937

Actual construction work shall begin on or before March 12, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940.

WITNESS my hand this 12th day of March, 1937.

CHAS. E. STRICKLIN

STATE ENGINEER