ASSIGNED, Sec. Misc. Rec. Vol. 2 Page 1/2 6
ASSIGNED, Sec. Misc. Rec. Vol. 2 Page 1/3/9-9
*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

State of Oregon	I,	Virgil V. Hir	shaw (Name of	amicant)	,
State of	of	Newberg.	·	,	hill ,
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Willamette River					
1. The source of the proposed appropriation is					
1. The source of the proposed appropriation is	Ιf	the applicant is a con	rogration, give date and a	place of incorporation	
1. The source of the proposed appropriation is Willamette River (Name of stream) ———————————————————————————————————			_		
a tributary of Columbia River 2. The amount of water which the applicant intends to apply to beneficial use is				Willamette River	u,
2. The amount of water which the applicant intends to apply to beneficial use is			a tributari		
cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located Officers, and 2400 ft. West (E. or W.) from the Ed. (E. or W.) (Section 33, T. 3 S., R. 2 W., (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW SEL (Lot. 7) of Sec. 35 , Tp. 3 S., (Riversaliest legal subdivision) R. 2 W. W. M., in the county of Marion (E. or W.) 5. The (Main dich. canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) C. (Smallest legal subdivision) DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam feet, length on top feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and breach, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)				-	
**3. The use to which the water is to be applied is Irrigation (trigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located Off. (N. or S.) (Section of Section 35, T. 35, R. 2 W., (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the N. N. SEL (Lot. 7) of Sec. 35. Tp. 35. (N. or S.) (Give smallest legal subdivision) 7. The (Give smallest legal subdivision) 8. 2 W. W. M., in the country of Marion (E. or W.) 5. The (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. Tp. (N. or S.) R. (E. or W.) DESCRIPTION OF WORKS DIVERSION WORKS DIVERSION WORKS 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and site of openings)					
**3. The use to which the water is to be applied is Irrigation (trigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located Off. (N. or S.) (Section of Section 35, T. 35, R. 2 W., (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the N. N. SEL (Lot. 7) of Sec. 35. Tp. 35. (N. or S.) (Give smallest legal subdivision) 7. The (Give smallest legal subdivision) 8. 2 W. W. M., in the country of Marion (E. or W.) 5. The (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. Tp. (N. or S.) R. (E. or W.) DESCRIPTION OF WORKS DIVERSION WORKS DIVERSION WORKS 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and site of openings)	cubic feet	t per second	(If water is to be used from	n more than one source, give quantity f	(rom each)
(If there is more than one point of diversion) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW SE (Lot 7) of Sec. 35 , Tp. 3 S., (N. or S.) (Ge or W.) 5. The (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) (Smallest legal subdivision) R. (Ge or W.) 5. The (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) R. (Ge or W.) DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber or h, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)			e water is to be applied i	S Irrigation	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Nw4 SE4 (Lot. 7)				(Irrigation, power, mining, manufac	turing, domestic supplies, etc.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Nw4 SE4 (Lot. 7)		The point of divers	ion is located 0 ft	and 2400 ft W	est $f_{rom,the}$ $\mathbb{E}^{\frac{1}{4}}$
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within theNw\(\frac{1}{2}\). SE\(\frac{1}{2}\) (LOt 7.) of Sec33 , Tp5 S, (Give smallest legal subdivision) R. 2 W, W. M., in the county of	4.	Cooties 77 M	ZC DOW	(N. or S.) (I	. or ₩.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within theNw\(\frac{1}{2}\). SE\(\frac{1}{2}\) (LOt 7.) of Sec33 , Tp5 S, (Give smallest legal subdivision) R. 2 W, W. M., in the county of	corner of	Section 55, 1.	Section or	subdivision)	
being within the Nw SE (Lot. 7) of Sec. 33 , Tp. 3 S. (N. or S.) R. 2 W. , W. M., in the county of Marion (E. or W.) 5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N. or S.) R			***************************************		
being within the Nw SE (Lot. 7) of Sec. 33 , Tp. 3 S. (N. or S.) R. 2 W. , W. M., in the county of Marion (E. or W.) 5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N. or S.) R		(Tf there is mor	e then one point of diversion, each my	at he desembed. The senerate sheet if y	Angels ww
R. 2 W. W. M., in the county of Marion 5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. Tp. (N. or S.) R. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	being wit	·			
5. The (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.) R. (E. or W.) DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4 ⁿ centrifugal (Size and type of pump)	R. 2 W.	W. M., in the			(N. or S.)
(Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the	5	The		to be	
R, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4 centrifugal (Size and type of pump)		•	(Main ditch, canal or pipe line)		(Miles or feet)
DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4 ⁿ Centrifugal (Size and type of pump)	in length,	, terminating in the	(Smallest legal subdivis	07 Secion)	(N. or S.)
DIVERSION WORKS— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4 ^N centrifugal (Size and type of pump)	R(E. or	, W. M., the pr	oposed location being sho	own throughout on the ac	ecompanying map.
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4 ^N centrifugal (Size and type of pump)			DESCRIPTION	OF WORKS	
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4 ^N centrifugal (Size and type of pump)	Diversion	n Works—			
feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate			feet len	ath on ton	feet lenath at hottom
(b) Description of headgate					
(b) Description of headgate		feet; mate ria l	to be used and character	r of construction	(Loose rock, concrete, masonry,
(c) If water is to be pumped give general description 4" centrifugal (Size and type of pump)	rock and brus			······	
(c) If water is to be pumped give general description 4" centrifugal (Size and type of pump)					
(c) If water is to be pumped give general description 4" centrifugal (Size and type of pump)	(<i>b</i>) Description of he	ıdgate		
(c) If water is to be pumped give general description 4" centrifugal (Size and type of pump)					
Character makes	(4	e) If water is to be	A	*1	
(Size and type of engine or meter to be used, total head water is to be lifted, etc.)					
	Sta	r auto motor (Size an	d type of engine or metor to be used	, total head water is to be lifted, etc.)

[•] A different form of application is provided where storage works are contemplated.

^{**} Applications for permita to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem. Oregon.

CANAT.	System	OR PIPE	TINE
CARAD	CITCLE		

eadgate. At nec	idgate: width o	n top (at wate	r line)	feet; wiath on bottom
h	feet; depth of	water	feet; grade	feet fall per on
nousand feet. (h) A+		miles from hea	dgate: width on top (at water l	ine)
			•	
***************************************	feet; wrath o	n bottom	feet; depth of wat	er feet
ade	feet fal	l per one thous	and feet.	
(c) Lengt	th of pipe,	ft.;	size at intake,in	.; size at fi
om intake	in.;	size at place of	f usein.; diffe	rence in elevation betwee
take and place	of use,40	ft/. 1	ift [s grade uniform?	Estimated capacity
-				
	,		wla	
			place of use	Number Acres
Township	Range	+ Section	Forty-acre Tract	To Be Irrigated
3 S.	2 W	33	NW4 SE4 (Lot 7)	20
************		************	NE4 SW4(Lot 6)	10
			,	

•••••••••••••••••••••••••••••••••••••••	***************************************			ė.

				·
•••••		***************************************	······································	••••••
		•		••••••
		(If more space r	equired, attach separate sheet)	
(a) Char	acter of soil	Sandy Load	<u>n</u>	••••••
(b) Kind	of crops raised	Clover and	Alfalfa	
WER OR MININ	PURPOSES			
		power to be de	veloped	theoretical horsepower
			or power	_
			_	500. 70.
(c) To	rai jau to oe ut	ııızea	(Head)	
(d) T	he nature of the	e works by me	ans of which the power is to be	developed
(e) Si	ich works to be	located in	(Legal subdivision)	of Sec
	, R(No. E. o		(Legal subdivision)	
, ,	•		tream?	
			(Yes or No)	
	•	_	ooint of return	
		, Sec	, Tp(No. N. or S.)	., R, W. M
			e applied is	
(n) 1				
(11)		,		

Muni	ICIPAL OR DOMESTIC SUPPLY—	
	10. (a) To supply the city of	
•••••	(Name of) County, having a p	present population of
and a	nn estimated population of	in 193
	(b) If for domestic use state number	r of families to be supplied
	(Answer queduous	11, 12, 13, and 14 in all cases)
	11. Estimated cost of proposed works, \$	1000.00
		before lyear after approval
		on or before 2 years after approval
		ed to the proposed use on or before 3 years after approval
	!	
*****		Virgil V. Hinshaw
		(Signature of applicant)
	•	
	Signed in the presence of us as witnesses.	
(1) .	Chester A. Cummings (Name)	(Address of witness)
(2) .	(27)	(AAA
	(Name)	(Address of witness)
	Remarks:	·
		у година
	,	······································
	. <u></u>	······································

	·	
STAT	TE OF OREGON,)	
C	ounty of Marion,	•
	This is to certify that I have examined th	e foregoing application, together with the accompanying
maps	and data, and return the same for	
	,	
	•	
,		oplication must be neturned to the State Engineer, with
AA444 -	ections on or before	
corre	•	
	WITNESS my hand this da	y 0/ 195

Application	No.16776
Permit No.	12557

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.....

	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 18th day of February,	,
	193.7, at 3:00 o'clock P. M.	
	Returned to applicant:	
	Corrected application received:	A STATE OF THE STA
•	Approved:	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	April 27, 1937	
	Recorded in book No 35	
	Permits on page12557	
	CHAS. E. STRICKLIN	
	STATE ENGINEER	, ¥
	Drainage Basin No2. Page 63	
. 44	Fees Paid \$9.50	
STATE OF OREGON, \	PERMIT	
County of Marion.		
subject to existing rights a The right herein gra and shall not exceed0 stream, or its equivalent in	t I have examined the foregoing application an nd the following limitations and conditions: nted is limited to the amount of water which cases. The cubic feet per second measured at the case of rotation with other water users, from limette River, tributary of Columbia I	en be applied to beneficial use point of diversion from the
The use to which thi	s water is to be applied is	
	rigation	
If for irrigation, this second or its equivalediversion of not to example the second of the second o	s appropriation shall be limited to $1/80$ th ent for each acre irrigated and shall ceed $2\frac{1}{2}$ acre feet per acre for each ac	be further limited to a re irrigated during the
irrigation season of ea	ach year,	
	reasonable rotation system as may be ordered	,
Actual construction	work shall begin on or before April 27, 19	38 and shall
thereafter be prosecuted wi	th reasonable diligence and be completed on or	before
October 1, 1939 Extended to		en e
Complete application Extended to Cotober 1, 1940 Extended to	of the water to the proposed use shall be made Oct. 1, 1941 Oct. 1, 1942 Extended to Oct. 1, 1944	on or before
	this 27th day of April	, 193
•	CHAS. E. STRIC	•
Permits for power development	are subject to the payment of annual fees as provided in sections	STATE ENGINEER 1 and 2, chapter 74, Session Laws of 1933.