

\* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, L. Thurnheer (Name of applicant) of Hillsboro, Route 2, (Postoffice) Washington County of Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

Individual

1. The source of the proposed appropriation is Tualatin River (Name of stream), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.2125 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1778.9 ft. North and 1332.9 ft. West from the South East corner of Section 21, T. 1 S., R. 2 W., W. M. (Section or subdivision)

(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 21, Tp. 1 S., R. 2 W., W. M., in the county of Washington (Give smallest legal subdivision) (No. N. or S.) (No. E. or W.)

5. The Pipe line to be 855 feet (Main ditch, canal or pipe line) (No. miles or feet) in length, terminating in the NE 1/4 SE 1/4 of Sec. 21, Tp. 1 S., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

6. The name of the ditch, canal or other works is No name

DESCRIPTION OF WORKS

DIVERSION WORKS— 7 1/2 H. P. Motor, and 3" centrifugal pump

7. (a) Height of dam feet, length at top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None (Timber, concrete, etc., number and size of openings)

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.



MUNICIPAL SUPPLY—

11. To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 193\_\_\_\_\_

(Answer questions 12, 13, 14 and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 800.00
- 13. Construction work will begin on or before Immediately
- 14. Construction work will be completed on or before 6 months from to date
- 15. The water will be completely applied to the proposed use on or before July 1937

L. Thrunheer  
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) E. J. Kuratli Hillsboro, Oregon  
(Name) (Address of witness)
- (2) William C. Christensen Hillsboro, Oregon  
(Name) (Address of witness)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 193\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 193\_\_\_\_\_

STATE ENGINEER

Application No. 16777

Permit No. 12558

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of February 1937, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 27, 1937

Recorded in book No. 35 of Permits on page 12558

CHAS. E. STRICKLIN

Drainage Basin No. 2... STATE ENGINEER Page 53 Fees Paid..\$9.50.

STATE OF OREGON, )
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.22 cubic feet per second/or its equivalent in case of rotation with other water users, from Tualatin River, Tributary of Willamette River

The use to which this water is to be applied is

Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The priority date of this permit is February 22, 1937

Actual construction work shall begin on or before April 27, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940

WITNESS my hand this 27th day of April, 1937

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.