

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, A. M. Autry Kelley

(Name of applicant)

of Florence, County of Lane, State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Individual

1. The source of the proposed appropriation is Unnamed Spring Creek with well-defined natural channel, flowing off property here rising. (Owned by J. W. Ford)

2. The amount of water which the applicant intends to apply to beneficial use is 0.07 cubic feet per second. Approx. 0.03 2nd. point of diversion Amended 4/6/37 (See Remarks)

**3. The use to which the water is to be applied is domestic supply and irrigation through use of hydraulic ram.

4. The point of diversion is located First W 22° S 325-350 feet and Second S 26° W 225-250 ft. from the N.E. corner of N.W. quarter of Section 22, Township 19 S., Range 12 W. W. M. NE 1/4 of

being within the NE 1/4 of NW 1/4 of NE 1/4 of Sec. 22, Tp. 19 S., R. 12 W., W. M., in the county of Lane

5. The Pipe Line to be approx. 1,800 ft. in length, terminating in the SE 1/4 of NE 1/4 of NE 1/4 of Sec. 22, Tp. 19 S., R. 12 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam three feet, length on top Nine feet, length at bottom Six feet; material to be used and character of construction Concrete and masonry wasteway over dam. Will hold about 6,000 gallons of water

(b) Description of headgate - - - (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Hydraulic Ram, Two and One-Half (2 1/2) inch intake, One and One-Quarter (1 1/4) inch outlet.

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, $1,800$ ft.; size at intake, $1\frac{1}{4}$ in.; size at ft. from intake in.; size at place of use $1\frac{1}{4}$ in.; difference in elevation between intake and place of use, 47 ft. Is grade uniform? Yes Estimated capacity, 2 sec. ft.

8. Location of area to be irrigated, or place of use See Map

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
19	12 W	22	E$\frac{1}{2}$ N. E. $\frac{1}{4}$ (Parts)	3
			Correction as follows:	ALL IN LOT #1.
			NE$\frac{1}{4}$ NE$\frac{1}{4}$	2 Corrected before Permit was issued
			SE$\frac{1}{4}$ NE$\frac{1}{4}$	1
			SW$\frac{1}{4}$ NE$\frac{1}{4}$	Place of Domestic Use.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised Garden and Lawn

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed less than One theoretical horsepower.

(b) Quantity of water to be used for power 0.07 sec. ft.

(c) Total fall to be utilized 8 feet.
(Head)

(d) The nature of the works by means of which the power is to be developed Hydraulic Ram,
2 $\frac{1}{2}$ inch intake and 1 $\frac{1}{4}$ inch discharge, with 8 ft. fall from dam.

(e) Such works to be located in Second Point of diversion
NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 22,
(Legal subdivision)

Tp. 19 S., R. 12 W., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? No
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is Lift of water for irrigation
and domestic use as aforesaid.

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____

(b) If for domestic use state number of families to be supplied _____ One

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000.00
- 12. Construction work will begin on or before Immediately
- 13. Construction work will be completed on or before Two weeks
- 14. The water will be completely applied to the proposed use on or before _____
Upon completion

A. M. Autry Kelley
(Signature of applicant)

By David B. Evans her attorney

Signed in the presence of us as witnesses:

- (1) Virginia Byrnes, Miner Bldg., Eugene, Oregon
(Name) (Address of witness)
- (2) William G. East, Miner Bldg., Eugene, Oregon
(Name) (Address of witness)

Remarks: First point of diversion is considered to avoid pollution from Coast Highway, and only works to that point will be laying of tile. Permission for such is obtained by adjoining owner. That is: If determined desirable or necessary to avoid pollution from Coast Highway the Applicant desires permission to tile or pipe with wood pipe the usual flow of the spring creek along the creek bed from the site of dam up to first point of diversion indicated upon map.

Increased from 0.03 c.f.s. to 0.07 c.f.s. on 4/6/37.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____
Completion and correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 26, 1937

WITNESS my hand this 26th day of March, 1937

CHAS. E. STRICKLIN

LN

STATE ENGINEER

Application No. 16819

Permit No. 12583

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 25th day of March

1937, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 27, 1937

Recorded in book No. 35 of

Permits on page 12583

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 18 Page 5

Fees Paid \$14.75

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Spring Creek

The use to which this water is to be applied is Domestic, Irrigation and Ram

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 25, 1937 for 0.03 c.f.s. & April 6, 1937 for 0.04 c.f.s.

Actual construction work shall begin on or before April 27, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940

WITNESS my hand this 27th day of April, 1937

CHAS. E. STRICKLIN STATE ENGINEER