

**\*APPLICATION FOR A PERMIT**

**To Appropriate the Public Waters of the State of Oregon**

I, The Woodburn-Hubbard Drainage District  
(Name of applicant)  
of Woodburn County of Marion,  
(Postoffice)  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Decreed on March 30, 1935, as a legal Drainage Dist. by the Marion County Court at Salem, Oregon.

1. The source of the proposed appropriation is Mill Creek  
(Name of stream)  
\_\_\_\_\_, a tributary of Pudding River

2. The amount of water which the applicant intends to apply to beneficial use is three  
cubic feet per second. One source only - Mill Creek  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation of acreage as shown  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
on accompanying map.

4. The point of diversion is located ~~78~~ ~~and~~ ~~78~~ ~~from the~~  
(N. or S.) (E. or W.)  
~~XXXXXX~~ To be pumped at various points from Mill Creek adjacent to land to be  
(Section or subdivision)  
irrigated as shown on accompanying map.  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the \_\_\_\_\_ of Sec. \_\_\_\_\_, Tp. \_\_\_\_\_,  
(Give smallest legal subdivision) (N. or S.)  
R. \_\_\_\_\_, W. M., in the county of \_\_\_\_\_  
(E. or W.)

5. The None to be X  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the X of Sec. X, Tp. X,  
(Smallest legal subdivision) (N. or S.)  
R. X, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

**DESCRIPTION OF WORKS**

**DIVERSION WORKS—**

6. (a) Height of dam None feet, length on top X feet, length at bottom  
X feet; material to be used and character of construction X  
(Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None - water will be pumped from main channel of Mill  
(Timber, concrete, etc., number and size of openings)  
Creek.

(c) If water is to be pumped give general description Ten or twelve pumps will be used,  
some portable gas engine operated and some permanently located electrically op-  
erated pumps, so alternated in operation as to discharge not more than three  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
second-feet of water at any one time. Water will be lifted a maximum of about  
twelve feet.

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE— None

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

| Township | Range | Section | Forty-acre Tract                  | Number Acres To Be Irrigated |
|----------|-------|---------|-----------------------------------|------------------------------|
| 5 S      | 1 W   | 7       | SE $\frac{1}{4}$ NE $\frac{1}{4}$ | 2.24                         |
| 5 S      | 1 W   | 8       | SW $\frac{1}{4}$ NW $\frac{1}{4}$ | 16.00                        |
| 5 S      | 1 W   | 8       | NW $\frac{1}{4}$ NW $\frac{1}{4}$ | 0.52                         |
| 5 S      | 1 W   | 8       | SE $\frac{1}{4}$ SW $\frac{1}{4}$ | 3.20                         |
| 5 S      | 1 W   | 5       | NW $\frac{1}{4}$ SW $\frac{1}{4}$ | 6.16                         |
| 5 S      | 1 W   | 5       | NE $\frac{1}{4}$ SW $\frac{1}{4}$ | 5.20                         |
| 5 S      | 1 W   | 5       | SE $\frac{1}{4}$ NW $\frac{1}{4}$ | 16.00                        |
| 5 S      | 1 W   | 5       | SW $\frac{1}{4}$ NE $\frac{1}{4}$ | 4.88                         |
| 5 S      | 1 W   | 5       | SE $\frac{1}{4}$ NE $\frac{1}{4}$ | 0.04                         |
| 5 S      | 1 W   | 5       | NW $\frac{1}{4}$ NE $\frac{1}{4}$ | 9.28                         |
| 5 S      | 1 W   | 5       | NE $\frac{1}{4}$ NE $\frac{1}{4}$ | 9.44                         |
| 5 S      | 1 W   | 4       | SW $\frac{1}{4}$ NW $\frac{1}{4}$ | 0.72                         |
| 5 S      | 1 W   | 4       | NW $\frac{1}{4}$ NW $\frac{1}{4}$ | 2.56                         |
| 4 S      | 1 W   | 33      | SE $\frac{1}{4}$ SE $\frac{1}{4}$ | 3.92                         |
| 4 S      | 1 W   | 33      | SW $\frac{1}{4}$ SW $\frac{1}{4}$ | 9.12                         |
| 4 S      | 1 W   | 33      | NW $\frac{1}{4}$ SW $\frac{1}{4}$ | 3.84                         |
| 4 S      | 1 W   | 33      | NE $\frac{1}{4}$ SW $\frac{1}{4}$ | 5.84                         |
| 4 S      | 1 W   | 33      | SE $\frac{1}{4}$ NW $\frac{1}{4}$ | 8.96                         |
| 4 S      | 1 W   | 33      | NE $\frac{1}{4}$ NW $\frac{1}{4}$ | 3.84                         |
| 4 S      | 1 W   | 33      | NW $\frac{1}{4}$ NE $\frac{1}{4}$ | 9.92                         |
| 4 S      | 1 W   | 28      | SW $\frac{1}{4}$ SE $\frac{1}{4}$ | 6.24                         |
| 4 S      | 1 W   | 28      | SE $\frac{1}{4}$ SE $\frac{1}{4}$ | 4.16                         |
| 4 S      | 1 W   | 28      | NE $\frac{1}{4}$ SE $\frac{1}{4}$ | 12.08                        |

(if more space required, attach separate sheet)

|       |     |    |                                   |        |
|-------|-----|----|-----------------------------------|--------|
| 4 S   | 1 W | 28 | NE $\frac{1}{4}$ NE $\frac{1}{4}$ | 9.52   |
| 4 S   | 1 W | 27 | SW $\frac{1}{4}$ NW $\frac{1}{4}$ | 20.00  |
| 4 S   | 1 W | 27 | SE $\frac{1}{4}$ NW $\frac{1}{4}$ | 9.28   |
| 4 S   | 1 W | 27 | NE $\frac{1}{4}$ NW $\frac{1}{4}$ | 0.88   |
| 4 S   | 1 W | 27 | SW $\frac{1}{4}$ NE $\frac{1}{4}$ | 1.60   |
| 4 S   | 1 W | 27 | NW $\frac{1}{4}$ NE $\frac{1}{4}$ | 14.00  |
| 4 S   | 1 W | 22 | SE $\frac{1}{4}$ SW $\frac{1}{4}$ | 1.20   |
| 4 S   | 1 W | 22 | SW $\frac{1}{4}$ SE $\frac{1}{4}$ | 26.00  |
| 4 S   | 1 W | 22 | SE $\frac{1}{4}$ SE $\frac{1}{4}$ | 5.52   |
| 4 S   | 1 W | 22 | NW $\frac{1}{4}$ SE $\frac{1}{4}$ | 1.12   |
| 4 S   | 1 W | 22 | NE $\frac{1}{4}$ SE $\frac{1}{4}$ | 1.28   |
| Total |     |    |                                   | 245.80 |

*theoretical horsepower*  
*sur ft.*

(e) Such works to be located in ..... of Sec. .... (Legal subdivision)

Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

MUNICIPAL OR DOMESTIC SUPPLY— None

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of) \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 193\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2500.00 - Pumps & equipment

12. Construction work will begin on or before July 1, 1937

13. Construction work will be completed on or before July 1, 1940

14. The water will be completely applied to the proposed use on or before July 1, 1940

Woodburn-Hubbard Drainage District  
(Signature of applicant)

By Paul Simon, Chairman.

Signed in the presence of us as witnesses:

- (1) Paul Simon, Chairman, George Grimps, Hubbard, Oregon  
(Name) (Address of witness)
- (2) Herman A. Stone, Sec., Woodburn, Oregon.  
(Name) (Address of witness)

Remarks: Paul Simon is chairman of the Board of Directors of the Woodburn Hubbard Drainage District; Mr. Grimps is a director, and Herman Stone is Sec. The action of the directors is covered in the regular minutes of the meeting of The Board of Directors held April 6, 1937.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 193\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 193\_\_\_\_\_

STATE ENGINEER

Application No. 15600

Permit No. 12593

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 25th day of October

1934, at 10:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 11, 1937

Recorded in book No. 35 of

Permits on page 12593

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 37

Fees Paid \$27.30

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Mill Creek, tributary of Pudding River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 25, 1934

Actual construction work shall begin on or before June 11, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1939

Extended to Oct. 1, 1940

Extended to Oct. 1, 1948

Extended to Oct. 1, 1952

Extended to Oct. 1, 1941

Extended in Oct. 1, 1944

Extended to Oct. 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1940

Extended to Oct. 1, 1941

Extended to Oct. 1, 1948

Extended to Oct. 1, 1952

Extended in Oct. 1, 1944

Extended to Oct. 1, 1946

Extended to Oct. 1, 1950

WITNESS my hand this 11th day of June, 1937

CHAS. E. STRICKLIN.

STATE ENGINEER