

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. O. Jones (Name of applicant) of Portland (Postoffice), County of Multnomah State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream and Spring (Name of stream), a tributary of Clackamas River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 1/2 inch from spring and 1 inch from unnamed stream (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic Supplies, Fish Pond and irrigating Garden (domestic) not to exceed 2 acres. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 32.5 chs. S. and 56 chs. W. from the NE corner of Sec. 12, T. 2 S., R. 2 E., W. M. Spring is diverted at its source which is 100 yards due east of point of diversion of the stream (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of the NW 1/4 of Sec. 12, Tp. 2 S., R. 2 E., W. M., in the county of Clackamas (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe Line to be App. 200 feet. (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the same of Sec. 12, Tp. 2 S., R. 2 E., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam App. 7 feet, length on top App. 18 feet, length at bottom App. 7 feet; material to be used and character of construction Lumber (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Lumber— one 3 feet. (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, app. 500 ft.; size at intake, 1 1/2 in.; size at ft. from intake in.; size at place of use 1 1/2 in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? no Estimated capacity, one sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 2 S., 2 E., 12, SE 1/4 of the NW 1/4, Garden plot which is app. 100 feet by 100 feet.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 50.00

12. Construction work will begin on or before June 1, 1937

13. Construction work will be completed on or before June 1, 1938

14. The water will be completely applied to the proposed use on or before June 1, 1938

W. O. Jones

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Louis E. Starr, 4816 N. E. 18th Avenue, Portland, Ore.
(Name) (Address of witness)

(2) George M. Post, 2407 N. E. 24th Avenue, Portland, Oregon
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 6, 1937.

WITNESS my hand this 6th day of March, 1937.

CHAS. E. STRICKLIN

STATE ENGINEER

LN

Application No. 16793

Permit No. 12599

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 5th day of March

1937, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 11, 1937

Recorded in book No. 35 of

Permits on page 12599

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 10

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed Stream and Spring, tributary of Clackamas River, being 0.01 c.f.s. from spring and 0.03 c.f.s. from stream.

The use to which this water is to be applied is

Domestic, Fish Pond and irrigation of garden not exceeding 2 acres in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 6, 1937.

Actual construction work shall begin on or before June 11, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before

October 1, 1940

WITNESS my hand this 11th day of June, 1937

CHAS. E. STRICKLIN

STATE ENGINEER