

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ralph Silver of Wallowa, Wallowa County, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Bear Creek and spring Creek, a tributary of The Wallowa River

2. The amount of water which the applicant intends to apply to beneficial use is 0.20 cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 1091 ft. West and 840 ft. South from the SE corner of section 10, T. 1 N., R. 42 E., W. M., and a second diversion point at 636 feet west of the SE corner of section 10 in said township and range

being within the NE 1/4 NE 1/4 of Sec. 15, Tp. 1 N., R. 42 E., W. M., in the county of Wallowa

5. The Main Ditch to be 1600 feet in length, terminating in the SE 1/4 SE 1/4 of Sec. 10, Tp. 1 N., R. 42 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate 1 1/2 feet wide and 4 feet high

(c) If water is to be pumped give general description

\* A different form of application is provided where storage works are contemplated. \*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 18 inches feet; width on bottom 12 inches feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 1 N., 42 E., 10, SE 1/4 SE 1/4, 7.

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam
(b) Kind of crops raised Hay, grain and garden

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.
(b) Quantity of water to be used for power sec. ft.
(c) Total fall to be utilized feet.
(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

, Sec. (No. N. or S.), Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 50.00 .....
- 12. Construction work will begin on or before May 18, 1937 .....
- 13. Construction work will be completed on or before Oct. 1, 1937 .....
- 14. The water will be completely applied to the proposed use on or before Oct. 1, 1937 .....

Ralph Silver  
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) L. Couch, David Couch  
(Name) (Name of witness)
- (2) Wallowa, Oregon, Wallowa, Oregon  
(Address) (Address of witness)

Remarks:

Bear Creek so low that late in season there will be no water to be got through this ditch but spring creek will furnish the water required late in the season.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 193.....

WITNESS my hand this ..... day of ....., 193.....

STATE ENGINEER

Application No. 16904

Permit No. 12664

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 25th day of May

1937, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

July 29, 1937

Recorded in book No. 35 of Permits on page 12664

CHAS. E. STRICKLIN

Drainage Basin No. 8 STATE ENGINEER Page 35 Fees Paid \$9.50

STATE OF OREGON, ) ss. County of Marion, )

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.18 cubic feet per second, or its equivalent in case of rotation with other water users, from Bear Creek and Spring Creek, tributary of Wallowa River.

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second from Bear Creek and Spring Creek; provided that water shall be appropriated from Spring Creek only during those periods when there is an insufficient quantity from Bear Creek to make up the quantity allowed herein, and then only so much as may be required to make a total appropriation from both sources of not to exceed the quantity allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The priority date of this permit is May 25, 1937

Actual construction work shall begin on or before July 29, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940

WITNESS my hand this 29th day of July, 1937.

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.