

CERTIFICATE NO. 12416

## \*APPLICATION FOR A PERMIT

## To appropriate the Public Waters of the State of Oregon

I, Charles A. Hart  
 (Name of applicant)  
 of Portland  
 (Postoffice), County of Multnomah  
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation \_\_\_\_\_

1. The source of the proposed appropriation is Willamette River  
 (Name of stream)

\_\_\_\_\_, a tributary of \_\_\_\_\_

2. The amount of water which the applicant intends to apply to beneficial use is 0.10  
 cubic feet per second.  
 (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1100 ft. Southerly and ft. from the NW  
SW  $\frac{1}{4}$  of NE  $\frac{1}{4}$  of Sec. 6, Township 4 South, Range 1 West, W. M., Yamhill County  
 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW  $\frac{1}{4}$  of NE  $\frac{1}{4}$  of Sec. 6, Tp. 4 S.  
 (Give smallest legal subdivision) (N. or S.)  
 R. 1 W., W. M., in the county of Yamhill  
 (E. or W.)

5. The Pipe line to be 700 feet  
 (Main ditch, canal or pipe line) (Miles or feet)  
 in length, terminating in the NE  $\frac{1}{4}$  of NW  $\frac{1}{4}$  of Sec. 6, Tp. 4 S.  
 (Smallest legal subdivision) (N. or S.)  
 R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.  
 (E. or W.)

## DESCRIPTION OF WORKS

## DIVERSION WORKS—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom  
 \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
 (Loose rock, concrete, masonry,  
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
 (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Plunger Pump - capacity  
 (Size and type of pump)  
600 gallons per hour - against 90 pound pressure - equipped with 1 horse power  
 (Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
electric motor - Water to be lifted approximately 35 feet.

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

(b) At ..... miles from headgate: width on top (at water line) .....  
 ..... feet; width on bottom ..... feet; depth of water ..... feet;  
 grade ..... feet fall per one thousand feet.

8. Location of area to be irrigated, or place of use Seven acre tract in Jas. C. Geer D.L.C.

[illegible]

(If more space required, attach separate sheet)

(b) *Kind of crops raised* .....

### POWER OR MINING PURPOSES—

(c) Total fall to be utilized ..... feet.  
(Head)

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_,  
 \_\_\_\_\_  
 (Legal subdivision)

*Tp.*....., *R.*....., *W. M.*  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? \_\_\_\_\_  
(Yes or No)

....., *Sec.*....., *Tp.*....., *R.*....., *W. M.*  
(No. N. or S.) (No. E. or W.)

(i) *The nature of the mines to be served* .....

## MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
 ..... County, having a present population of .....  
 (Name of)  
 and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 400.00 .....
12. Construction work will begin on or before July 1, 1937 .....
13. Construction work will be completed on or before July 10, 1937 .....
14. The water will be completely applied to the proposed use on or before August 1, 1937 .....

Charles A. Hart,

(Signature of applicant)

1410 Yeon Bldg., Portland, Oregon.

Signed in the presence of us as witnesses:

- (1) David L. Davies, 23185 SW 18th Ave., Portland, Oregon.  
 (Name) (Address of witness)
- (2) F----- R-----, 2662 SW Gerold Ave., Portland, Ore.  
 (Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... correction .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 7, 1937 .....

WITNESS my hand this 8th day of July, 1937 .....

CHAS. E. STRICKLIN,

LN

STATE ENGINEER

Application No. 16962

Permit No. 12718

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,

on the 3rd day of July

1937, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 22, 1937

Recorded in book No. 36 of

Permits on page 12718

CHAS. E. STRICKLIN.

STATE ENGINEER

Drainage Basin No. 2 Page 63

Fees Paid \$9.50

STATE OF OREGON, }  
County of Marion. } ss.

**PERMIT**

This is to certify that I have examined the foregoing application and do hereby grant the same,  
subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per  
second or its equivalent for each acre irrigated and shall be further limited to  
a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during  
the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 3, 1937

Actual construction work shall begin on or before October 22, 1938 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
October 1, 1939

Complete application of the water to the proposed use shall be made on or before  
October 1, 1940

WITNESS my hand this 22nd day of October, 1937

CHAS. E. STRICKLIN.

STATE ENGINEER