

*APPLICATION FOR A PERMIT

APPLICANT No. 12190

To appropriate the Public Waters of the State of Oregon

I, Carroll J. Furre of Oregon City, County of Clackamas, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Springs, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 1030 ft. West and 135 ft. South from the SE corner of Sec. 36, T. 2 S., R. 1 E., W. M., Clackamas

being within the NE 1/4, NE 1/4 of Sec. 1, Tp. 3 S., R. 1 E., W. M., in the county of Clackamas

5. The Pipe to be 60 in length, terminating in the of Sec. 1, Tp. 3 S., R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

Small Temporary dam of rocks and Earth

6. (a) Height of dam 1.0 feet, length on top 3 feet, length at bottom 2 feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____.

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 50.00 _____
- 12. Construction work will begin on or before completed July 15, 1937 _____
- 13. Construction work will be completed on or before " " " _____
- 14. The water will be completely applied to the proposed use on or before Completed July 15, 1937. _____

Carroll J. Furre
(Signature of applicant)

Oregon City, Oregon

Route 1, Box 32 A.

Signed in the presence of us as witnesses:

- (1) A. Hagen _____, Oregon City, Oregon
(Name) (Address of witness)
- (2) Lyle McCurdy _____, Oregon City, Oregon
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 19 _____, 1937..

WITNESS my hand this 19th day of July _____, 1937..

CHAS. E. STRICKLIN.

STATE ENGINEER

LN

Application No. 16984

Permit No. 12734

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of July, 1937, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 22, 1937

Recorded in book No. 36 of

Permits on page 12734

CHAS. E. STRICKLIN. STATE ENGINEER

Drainage Basin No. 2 Page 76-C

Fees Paid \$9.50

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Springs

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 17, 1937

Actual construction work shall begin on or before October 22, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940

WITNESS my hand this 22nd day of October, 1937

CHAS. E. STRICKLIN.

STATE ENGINEER