

CERTIFICATE NO. 12047

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ilo C. Dyer (Name of applicant) of Myrtle Creek (Postoffice), County of Douglas, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Sanderson Gulch (Name of stream), a tributary of South Myrtle Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125 (1/80th) of a cubic foot per second (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1200 ft. North and 600 ft. East from the corner of between Sections 20, 21, 28, 29 (approximately) (Point of diversion is situated on my own property)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 SW 1/4 of Sec. 21, Tp. 29 S., R. 4 W., W. M., in the county of Douglas

5. The pipe line to be 1700 feet in length, terminating in the NE 1/4 SE 1/4 of Sec. 20, Tp. 29 S., R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

No dam 6. (a) Height of Dam feet, length on top feet, length at bottom

feet; material to be used and character of construction Storage tank constructed of lumber size 4 feet x 12 feet x 4 feet high.

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... 1700 ... ft.; size at intake, ... 1 1/2 ... in.; size at ... 500 ... ft. from intake ... 1 ... in.; size at place of use ... 3/4 ... in.; difference in elevation between intake and place of use, ... 50 feet ... ft. Is grade uniform? ... Estimated capacity, ... sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 29 S., 4 W., 20, NE 1/4 SE 1/4.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed ... theoretical horsepower.

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized ... feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec. ... (Legal subdivision)

Tp. ..., R. ..., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ... (Yes or No)

(g) If so, name stream and locate point of return

..., Sec. ..., Tp. ..., R. ..., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____.

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 200.00
- 12. Construction work will begin on or before September 1, 1937
- 13. Construction work will be completed on or before November 1, 1937
- 14. The water will be completely applied to the proposed use on or before November 1, 1937

Ilo Dyer
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) M. H. Dyer, Myrtle Creek, Oregon
(Name) (Address of witness)
- (2) V. A. Cochrane, Myrtle Creek, Oregon
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 19, 1937.

WITNESS my hand this 19th day of July, 1937.

CHAS. E. STRICKLIN.
STATE ENGINEER

LN

Application No. 16986
Permit No. 12735

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 17th day of July
1937, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

October 22, 1937

Recorded in book No. 36 of

Permits on page 12735

CHAS. E. STRICKLIN.
STATE ENGINEER

Drainage Basin No. 16 Page 35

Fees Paid \$10.00

STATE OF OREGON, }
County of Marion. } 33.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Sanderson Gulch

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per
second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 17, 1937

Actual construction work shall begin on or before October 22, 1938 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1939

Complete application of the water to the proposed use shall be made on or before
October 1, 1940

WITNESS my hand this 22nd day of October, 1937

CHAS. E. STRICKLIN.

STATE ENGINEER