

*APPLICATION FOR A PERMIT 12193

To appropriate the Public Waters of the State of Oregon

I, John Nylund (Name of applicant) of Cherry Grove (Postoffice), County of Washington, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed branch of the South Santiam River (Name of stream), a tributary of South Santiam River. See memoranda attached hereto

2. The amount of water which the applicant intends to apply to beneficial use is five tenths cubic feet per second, taken from the stream above mentioned. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is to construct mill pond for operation of lumber mill and for domestic supplies relative thereto. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 525 ft. East and 150 ft. North from the Southwest corner of (the Northwest Quarter of the Southwest Quarter of Section 3) (in Township 13 South Range 1 West of the Willamette Meridian.) Approximate distances given. See memoranda attached. The point of diversion shown on accompanying map is given as S 89° 32' E. 975.5 ft. and N. 35° 16' W. 558.4 ft. from SW corner of the Ferdinand Kreig D.L.C., which is the same point. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the West Half of the Southwest 1/4 of Sec. 3, Tp. 13 South R. 1 W., W. M., in the county of Linn (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The See memoranda to be in length, terminating in the of Sec. Tp. R., W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 2 ft feet, length on top 3 ft feet, length at bottom 3 ft feet; material to be used and character of construction The creek is not dammed. The mill pond is so constructed that the creek flows through the pond which is made by excavating for depth pushing the dirt out for walls. It may be necessary to throw up a small dam at exit of pond, and if so the dam will be made of planks two feet high and three feet wide.

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Explanation memorandum as to numbers 1, 3, 4, and 5 on page 1 of the application.

- No. 1 The unnamed stream referred to has its source in Section 9 Township 13 South Range 1 West of the Willamette Meridian and from thence flows in a northeasterly direction into and across the southwest quarter of Section 3 in said township and range.
- No. 3 The purpose of this application is to impound water sufficient to operate a saw mill, which is to be located within the West half of the Southwest quarter of said Section 3, the exact point to be determined by survey. However, the location will be between the Oregon Electric Railway Right of Way and the County road both crossing the West Half of the Southwest Quarter of Section 3.
- No. 4 The point of diversion will be definitely established by survey of the mill site and furnished the department on or before 30 days from this date.
- No. 5 The location will be definitely shown by the above mentioned survey and the map furnished showing location of the plant and pond.

The location will be further definitely designated by the Ferdinand Gregg Donation Land Claim in Said Section 3 Township 13 South Range 1

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

John Nylund
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Loyal M. Graham, Forest Grove, Oregon
(Name) (Address of witness)
- (2) Marie Bailey, Forest Grove, Oregon
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
 } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 2, 1937.

WITNESS my hand this 2nd day of September, 1937.

CHAS. E. STRICKLIN.
STATE ENGINEER

BB

Application No. 16993

Permit No. 12739

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of July, 1937, at 4:15 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

October 22, 1937

Recorded in book No. 36 of Permits on page 12739

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 42

Fees Paid \$10.00

STATE OF OREGON, County of Marion ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.5 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Branch of South Santiam River

The use to which this water is to be applied is Domestic and Mill Pond

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 19, 1937

Actual construction work shall begin on or before October 22, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940

WITNESS my hand this 22nd day of October, 1937

CHAS. E. STRICKLIN STATE ENGINEER