

*APPLICATION FOR A PERMIT CERTIFICATE NO. 12196

To appropriate the Public Waters of the State of Oregon

I, Oregon State Game Commission of Portland, County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Dead Point Creek, a tributary of Hood River

2. The amount of water which the applicant intends to apply to beneficial use is 5.0 cubic feet per second.

**3. The use to which the water is to be applied is Trout Propagation

4. The point of diversion is located 1/2 mile north of the junction of Dead Point Creek & Hood River, South 9 degrees 28 minutes West 1474' from quarter corner on the north line of section one (1),

being within the SW 1/4 of NE 1/4 of Sec. 1, Tp. 1 N., R. 9 E., W. M., in the county of Hood River

5. The Wood Stave Pipe to be 345 feet in length, terminating in the SW 1/4 NE 1/4 of Sec. 1, Tp. 1 N., R. 9 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 4 feet, length on top 20 feet, length at bottom 15 feet; material to be used and character of construction Reinforced Concrete

(b) Description of headgate Concrete, one 3' x 3' with By-pass 2' x 2'.

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 345 ft.; size at intake, 14 in.; size at ft. from intake in.; size at place of use 14 in.; difference in elevation between intake and place of use, 11 ft. Is grade uniform? yes Estimated capacity, 7.0 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N.	9 E.	1	SW $\frac{1}{4}$ NE $\frac{1}{4}$	Hatching Pens

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)
Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,500.00 _____

12. Construction work will begin on or before _____ at once _____

13. Construction work will be completed on or before December 1st., 1937 _____

14. The water will be completely applied to the proposed use on or before _____
December 1st., 1937 _____

_____ F. B. Wire _____
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Margery Farrens _____, _____ Portland, Oregon _____
(Name) (Address of witness)

(2) H. M. _____, _____ Portland, Oregon. _____
(Name) (Address of witness)

Remarks: This application is made in conjunction with Certificate of Water
Right issued under Permit No. 5891. This will cover reconstruction of our present
system and enable diversion of all the water from creek for only short distance
and then back to stream. There will be provided a by-pass for any emergency. The
present Wood Dam will be replaced with Concrete structure and new larger pipe line
installed. Water measured on July 25th indicated approximately 7.0 s.f., now low.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before _____, 193_____

WITNESS my hand this _____ day of _____, 193_____

STATE ENGINEER

Application No. 17032

Permit No. 12779

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 12th day of August,

1937, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 22, 1937

Recorded in book No. 36 of

Permits on page 12779

CHAS. E. STRICKLIN.

STATE ENGINEER

Drainage Basin No. 4 Page 28

Fees Paid \$14.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 5.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Dead Point Creek

The use to which this water is to be applied is Trout Propagation

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 12, 1937

Actual construction work shall begin on or before October 22, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940

WITNESS my hand this 22nd day of October, 1937.

CHAS. E. STRICKLIN.

STATE ENGINEER