

*APPLICATION FOR A PERMIT

CERTIFICATE NO. 12198

To appropriate the Public Waters of the State of Oregon

I, Terminal Ice and Cold Storage Co. of Salem, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Mill Creek, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 600 gals. per min.

**3. The use to which the water is to be applied is Cooling condenser

4. The point of diversion is located Near Front and D St., Salem, Ore.

being within the SW 1/4 of Sec. 22, Tp. 7 S, R. 3 W., W. M., in the county of Marion

5. The pipe to be 15 or 20 in length, terminating in the SW 1/4 of Sec. 22, Tp. 7 S, R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 5" intake 3 1/2" disch. 20 HP electric

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....1,000.....
- 12. Construction work will begin on or beforeSept. 1, 1937.....
- 13. Construction work will be completed on or beforeSept. 1, 1937.....
- 14. The water will be completely applied to the proposed use on or beforeSept. 1, 1937.....

Terminal Ice & Cold Storage Co.
(Signature of applicant)
By Lowell E. Kern

Signed in the presence of us as witnesses:

- (1) A. C. F. Perry _____, _____
(Name) (Address of witness)
- (2) _____, _____
(Name) (Address of witness)

Remarks: Propose to pump water from creek, run it over condenser and return
it to creek. Pump to be installed at Oregon Electric Co. viaduct. Plant is about
15 feet from creek. Pump to be set on skids in order to move it at high water
stages.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before _____, 193_____.

WITNESS my hand this _____ day of _____, 193_____.

STATE ENGINEER

Application No.....17035.....

Permit No.....12782.....

PERMIT

**TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON**

Division No. District No.....

*This instrument was first received in the
office of the State Engineer at Salem, Oregon,*

on the 13th day of August,

1937, at 10:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 22, 1937

Recorded in book No. 36 of

Permits on page 12782

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76 c.

Fees Paid \$11.00

STATE OF OREGON, }
County of Marion. } ss.

PERMIT

*This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to existing rights and the following limitations and conditions:*

*The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 1.34 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Mill Creek*

The use to which this water is to be applied is Manufacturing

*If for irrigation, this appropriation shall be limited to ----- of one cubic foot per
second*

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 13, 1937

*Actual construction work shall begin on or before October 22, 1938 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1939*

*Complete application of the water to the proposed use shall be made on or before
October 1, 1940*

WITNESS my hand this 22nd day of October, 1937

CHAS. E. STRICKLIN

STATE ENGINEER