

CERTIFICATE NO. 12,004

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ernest C. Kellogg (Name of applicant) of Cove (Postoffice), County of Union, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Springs (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 0.37 from Spring #1; 0.25 Spring #2. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. (N. or S.) and ft. (E. or W.) from the corner of at both springs, as shown by enclosed map. Spring #1 is 500 feet South and 1270 feet West center of Section 15; Spring #2 is 440 feet South and 1760 feet West of center Section 15, T. 3 S., R. 40 E. being within the Spr. #1, NE 1/4 SW 1/4; Spr. #2, NW 1/4 SW 1/4 of Sec. 15, Tp. 3 S., R. 40 E., W. M., in the county of Union (E. or W.)

5. The ditches to be on the land and located accordingly to crops in length, terminating in the of Sec. 15, Tp. 3 S., R. 40 E., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction No dams necessary (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 193\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$\_\_\_\_\_

12. Construction work will begin on or before \_\_\_\_\_

13. Construction work will be completed on or before \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before \_\_\_\_\_ Water has been  
applied to land for several years. \_\_\_\_\_

Ernest C. Kellogg  
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Mrs. Myrtle Harrington \_\_\_\_\_, \_\_\_\_\_ Cove, Oregon  
(Name) (Address of witness)

(2) Roberta Bell \_\_\_\_\_, 1824 New Jersey Street, Los Angeles, Cal.  
(Name) (Address of witness)

Remarks: \_\_\_\_\_

The water which I wish from spring #1 is the overflow of about 2 inches and has been  
used on this land for about 40 years or more. \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with  
corrections on or before \_\_\_\_\_, 193\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 193\_\_\_\_\_

STATE ENGINEER

Application No. 17036

Permit No. 12783

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 13th day of August,

1937, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

October 22, 1937

Recorded in book No. 36 of

Permits on page 12783

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 8 Page 17

Fees Paid \$9.50

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Springs, being 0.036 c.f.s. from Spring #1, and 0.024 c.f.s. from Spring #2.

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated throughout the irrigation season,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 13, 1937

Actual construction work shall begin on or before October 22, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940

WITNESS my hand this 22nd day of October, 1937.

CHAS. E. STRICKLIN STATE ENGINEER