

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Thomas H. Williamson (Name of applicant) of Joseph (Postoffice), County of Willowa, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Springs (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1/4 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1200 ft. S and 340 ft. E from the NW corner of SE 1/4 of Sec. 20, Twp. 3 S, R. 45 E, W. M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW 1/4 of SE 1/4 of Sec. 20, Tp. 3 S, R. 45 E, W. M., in the county of Willowa

5. The pipe line to be 1500 ft. in length, terminating in the NW 1/4 of NE 1/4 of SE 1/4 of Sec. 20, Tp. 3 S, R. 45 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

**CANAL SYSTEM OR PIPE LINE—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 1500 ..... ft.; size at intake, ..... 2 ..... in.; size at ..... 20 ..... ft. from intake ..... 1 1/2 ..... in.; size at place of use ..... 1 1/4 ..... in.; difference in elevation between intake and place of use, ..... about 200 ..... ft. Is grade uniform? ..... No ..... Estimated capacity, ..... 1/4 ..... sec. ft.

8. Location of area to be irrigated, or place of use NW 1/4 of NE 1/4 of SE 1/4 of Sec. 20

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S	45 E	20	NE 1/4 of SE 1/4	
			NW 1/4 SE 1/4	

(If more space required, attach separate sheet)

(a) Character of soil .....  
 (b) Kind of crops raised .....

**POWER OR MINING PURPOSES—**

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
(Head)  
 (d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)  
 Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....  
 Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 193\_\_\_\_\_.

(b) If for domestic use state number of families to be supplied 12 or 15

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before Nov. 1, 1936
- 13. Construction work will be completed on or before Nov. 1, 1938
- 14. The water will be completely applied to the proposed use on or before Nov. 1, 1938

T. H. Williamson  
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Margaret McDonald, Joseph, Oregon  
(Name) (Address of witness)
- (2) Helena Williamson, Joseph, Oregon  
(Name) (Address of witness)

Remarks: I have this small acreage here at the head of Wallowa Lake and at present have four cabins. I expect to build more and the water asked for in this application is for the supply of these cabins. They will be rented in the summer only.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 1, 1937.

WITNESS my hand this 1st day of September, 1937.

CHAS. E. STRICKLIN  
LN STATE ENGINEER

Application No. 17056

Permit No. 12795

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of August, 1937, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 22, 1937

Recorded in book No. 36 of Permits on page 12795

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 8 Page 36 Fees Paid 10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Springs

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 23, 1937

Actual construction work shall begin on or before October 22, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940

WITNESS my hand this 22nd day of October, 1937.

CHAS. E. STRICKLIN STATE ENGINEER