

*APPLICATION FOR A PERMIT

CERTIFICATE NO. 12278

To appropriate the Public Waters of the State of Oregon

I, C. W. Culy (Name of applicant) of Jacksonville (Postoffice), County of Jackson, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Kinney Creek, a tributary of Big Applegate, a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second.

**3. The use to which the water is to be applied is irrigation, domestic and garden

4. The point of diversion is located 1260 ft. North and 1240 ft. East from the S.W. corner of Section 18

being within the SW 1/4 SW 1/4 (Lot 4) of Sec. 18, Tp. 40 S., R. 3 W., W. M., in the county of Jackson

5. The pipe line to be 1800 feet in length, terminating in the NW 1/4 SE 1/4 of Sec. 18, Tp. 40 S., R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 2 feet, length on top 6 feet, length at bottom 4 feet; material to be used and character of construction rock and clay

(b) Description of headgate direct into 2" pipe

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1800 ft.; size at intake, 3/4 in.; size at ft. from intake in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? ..yes..... Estimated capacity, sec. ft. 2 sections of 2" pipe at diversion.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 40 S., 3 W., 18, NW 1/4 SE 1/4, 20 acres.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised : not more than 1/2 acre garden, for domestic.

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of) _____
and an estimated population of _____ in 193_____.

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200.00

12. Construction work will begin on or before begun

13. Construction work will be completed on or before 6 months.

14. The water will be completely applied to the proposed use on or before 1 year.

C. W. Culy

(Signature of applicant)

Jacksonville, Oregon

Signed in the presence of us as witnesses:

(1) C. A. Smith, Court House, Medford, Ore.
(Name) (Address of witness)

(2) _____
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193_____.

WITNESS my hand this _____ day of _____, 193_____.

STATE ENGINEER

Application No. 17066

Permit No. 12800

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of August, 1937, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

October 22, 1937

Recorded in book No. 36 of

Permits on page 12800

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 16

Fees Paid \$14.50

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Kinney Creek

The use to which this water is to be applied is Irrigation and Domestic, being 0.24 c.f.s. for irrigation and 0.01 c.f.s. for domestic.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 27, 1937

Actual construction work shall begin on or before October 22, 1938 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940

WITNESS my hand this 22nd day of October, 1937.

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Session Laws of 1933.