

*APPLICATION FOR A PERMIT

CERTIFICATE NO. 14166

To appropriate the Public Waters of the State of Oregon

I, Thos. D. Guerin (Name of applicant) of Myrtle Point (Postoffice), County of Coos, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is A Spring (Name of stream), a tributary of None

2. The amount of water which the applicant intends to apply to beneficial use is 1/100 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (Section or subdivision)

S. 46 degrees E. distant 450.0 feet from the 1/4 sec. cor. between secs. 14 and 15, (If preferable, give distance and bearing to section corner)

T. 29 S., R. 12 W., W. M., (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of SW 1/4 of Sec. 14, Tp. 29 S., (Give smallest legal subdivision) (N. or S.)

R. 12 W., W. M., in the county of Coos. (E. or W.)

5. The Pipe line (Main ditch, canal or pipe line) to be 139.0 feet (Miles or feet) in length, terminating in the NW 1/4 of SW 1/4 of Sec. 14, Tp. 29 S., (Smallest legal subdivision) (N. or S.)

R. 12 W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction spring in rock (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description none (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193.....

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 75.00

12. Construction work will begin on or before November 1, 1937

13. Construction work will be completed on or before November 5, 1937

14. The water will be completely applied to the proposed use on or before _____
November 5, 1937

Thos. D. Guerin
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Blanche Baker _____, Myrtle Point, Oregon.
(Name) (Address of witness)

(2) Mrs. F. Lafferty _____, Myrtle Point, Oregon.
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } 38.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193.....

WITNESS my hand this _____ day of _____, 193.....

STATE ENGINEER

Application No. 17128

Permit No. 12852

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of October, 1937, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

January 21, 1938

Recorded in book No. 36 of

Permits on page 12852

CHAS. E. STRICKLIN, STATE ENGINEER

Drainage Basin No. 17 Page 19

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from A Spring

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 13, 1937

Actual construction work shall begin on or before January 21, 1939 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940

WITNESS my hand this 21st day of January, 1938

CHAS. E. STRICKLIN, STATE ENGINEER