

76444
 76494
 PERMITIFICATE NO. 12511

***APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Travelers Insurance Company by H. G. Green
(Name of applicant)
 of 115 Spalding Bldg., Portland, County of Multnomah
(Postoffice)
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation
Hartford, Connecticut, June 17, 1863.

1. The source of the proposed appropriation is Maxfield Creek
(Name of stream)
, a tributary of Luckiamute River

2. The amount of water which the applicant intends to apply to beneficial use is 0.57
 cubic feet per second. Water to be used in addition to previous permit #12079 covering 0.23 c.f.s. from 7 Maxfield Creek developed from dam #1 indicated in that map.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Supplemental Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 100 ft. South and 594 ft. East from the 1/16 Sec.
(N. or S.) (E. or W.)
 corner of the north line of the northwest quarter in Section 21 (previously described #12079)
(Section or subdivision)
 in permit (being within the northeast quarter of the northwest quarter of Section 21, township 10 S., R. 6 W., W. M. in the County of Benton.)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of the NW 1/4 of Sec. 21, Tp. 10 S.
(Give smallest legal subdivision) (N. or S.)
 R. 6 W., W. M., in the county of Benton
(E. or W.)

5. The Flume to be 350 feet
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the SW corner of the SE 1/4 of the SW 1/4 of Sec. 16, Tp. 10 S.
(Smallest legal subdivision) (N. or S.)
 R. 6 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)
 (See map accompanying permit #12079)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 1 feet, length on top 22 feet, length at bottom 22 feet; material to be used and character of construction 12 x 12-22 flanked with gravel and sand.
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 3 feet wide constructed of 1 x 12 and 1 x 18
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description gravity flow
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) $1\frac{1}{2}$ feet; width on bottom $1\frac{1}{2}$ feet; depth of water flume feet; grade $1\frac{1}{2}$ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use _____

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 S.	6 W.	16	SE $\frac{1}{4}$ of the SW $\frac{1}{4}$	3 acres
			NE $\frac{1}{4}$ of the SW $\frac{1}{4}$	3 "
			SW $\frac{1}{4}$ of the SW $\frac{1}{4}$	26 "
			NW $\frac{1}{4}$ of the SW $\frac{1}{4}$	27 "
		17	SE $\frac{1}{4}$ of the SE $\frac{1}{4}$	5 "

(If more space required, attach separate sheet)

(a) Character of soil Chehalis & Wapato under lain by gravelly clay substrata at 42-48"
 (b) Kind of crops raised Alfalfa, red clover & general field crops.

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed _____ theoretical horsepower.
 (b) Quantity of water to be used for power _____ sec. ft.
 (c) Total fall to be utilized _____ feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____

_____ (Legal subdivision)
 Tp. _____, R. _____, W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
 (Yes or No)

(g) If so, name stream and locate point of return _____
 _____, Sec. _____, Tp. _____, R. _____, W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 50.00
- 12. Construction work will begin on or before Constructing larger compl. under 12079
- 13. Construction work will be completed on or before June 1, 1938
- 14. The water will be completely applied to the proposed use on or before
July 1, 1938.

THE TRAVELERS INSURANCE COMPANY

(Signature of applicant)

By Commerce Mortgage Company

By H. G. Green, President.

1115 Spalding Bldg., Portland, Oregon.

Signed in the presence of us as witnesses:

- (1) George A. Fletcher,
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks: Permit No. 12079 for the same above described acreages covered 0.57 c.f.s. from Luckiamute and 0.23 c.f.s. from Maxfield Creek. Proof of Appropriation filed on 26 acres from Maxfield Creek in compliance thereto. On recommendation of the county agent, pumping from the Luckiamute abandoned and it is desired to take a full 0.80 c.f.s. from Maxfield Creek for the acreages above described, making this application virtually supplemental to Permit No. 12079. Upon final compliance appropriating a total of 0.80 c.f.s. from Maxfield Creek under this application (0.57) c.f.s. and Permit No. 12079 0.23 c.f.s.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 17141

Permit No. 12863

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of October, 1937, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

January 21, 1938

Recorded in book No. 36 of

Permits on page 12863

CHAS. E. STRICKLIN, STATE ENGINEER

Drainage Basin No. 2 Page 17

Fees Paid \$14.60

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.57 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Maxfield Creek

The use to which this water is to be applied is Supplemental Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be limited still further to a total diversion of not to exceed 0.57 c.f.s.; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 26, 1937

Actual construction work shall begin on or before January 21, 1939 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1939

Complete application of the water to the proposed use shall be made on or before October 1, 1940

WITNESS my hand this 21st day of January, 1938

CHAS. E. STRICKLIN, STATE ENGINEER