

\*APPLICATION FOR A PERMIT

CERTIFICATE NO. 16641
The Maccabees
See File 17110
for copy of deed

To appropriate the Public Waters of the State of Oregon

I, ARTISANS LIFE ASSOCIATION 208 Artisans Bldg.
Portland (Name of applicant)
of Portland (Postoffice), County of Multnomah
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation
Portland, Oregon November 1894

1. The source of the proposed appropriation is Price Creek, Oregon
(Name of stream)
a tributary of Luckiamute River, Oregon

2. The amount of water which the applicant intends to apply to beneficial use is 2.0
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation and stock and domestic use
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located No. 2 250 S 725 E NW
No. 1 1600 ft. S and 800 ft. E from the N 1/4
corner of Sec. 27, T. 10 S., R. 6 W., W. M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

No. 1 No. 2
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW of NE and NW of NW of Sec. 27, Tp. 10 S
(Give smallest legal subdivision) (N. or S.)

R. 6 W., W. M., in the county of Benton
(E. or W.)
5. The Main Ditches to be No. 1 about 5000 ft.
No. 2 about 2500 ft.

(Main ditch, canal or pipe line)
in length, terminating in the No. 1 SE 1/4 of NW 1/4 of Sec. 22, Tp. 10 S.
No. 2 SE 1/4 of SE 1/4 of Sec. 21, Tp. 10 S.
R. 6 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 4 feet, length on top 25 feet, length at bottom
25 feet; material to be used and character of construction Timber rock crib
(Loose rock, concrete, masonry,
Both dams will be about same construction and same size.
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber Headgate - single gate
(Timber, concrete, etc., number and size of openings)
2' high and 3' wide

(c) If water is to be pumped give general description Lower headgate will be 18" wide
(Size and type of pump)
and 1' deep of timber construction.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE  
Ditch No. 1

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line)  $4\frac{1}{2}$  feet; width on bottom  $2\frac{1}{2}$  feet; depth of water 1 feet; grade 1.0 feet fall per one thousand feet.

(b) At ~~miles from headgate~~ Ditch No. 2: width on top (at water line) 3.0 feet; width on bottom 1.5 feet; depth of water 0.8 feet; grade 1.5 feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

8. Location of area to be irrigated, or place of use \_\_\_\_\_

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 S.	6 W.	27	NW NW	2.5
			NE NW	22.0
			NW NE	2.5
		22	SW NW	5.5
			SE NW	5.0
			NW SW	20.5
			NE SW	11.0
			SW SW	36.0
			SE SW	25.0
		21	SE SE	20.0
According to government plats this is all within DLC No. 5142 Claim 44.				150.0

(If more space required, attach separate sheet)

(a) Character of soil Willamette, Newberg, Olympic

(b) Kind of crops raised Alfalfa, Clover, Grain and Pasture

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed \_\_\_\_\_ theoretical horsepower.

(b) Quantity of water to be used for power \_\_\_\_\_ sec. ft.

(c) Total fall to be utilized \_\_\_\_\_ feet.

(Head)

(d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_,

(Legal subdivision)

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? \_\_\_\_\_

(Yes or No)

(g) If so, name stream and locate point of return \_\_\_\_\_

\_\_\_\_\_, Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of) \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 193\_\_\_\_\_.

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00 \_\_\_\_\_
- 12. Construction work will begin on or before One year after approval \_\_\_\_\_
- 13. Construction work will be completed on or before Two years after approval \_\_\_\_\_
- 14. The water will be completely applied to the proposed use on or before 3 yrs. after approval \_\_\_\_\_

ARTISANS LIFE ASSOCIATION

By Jerry S. Sayler  
Secy. (Signature of applicant)

ARTISANS LIFE ASSOCIATION

By J. N. Mills  
Treasurer

Signed in the presence of us as witnesses:

By authority of its Board of Directors

- (1) \_\_\_\_\_, \_\_\_\_\_  
(Name) (Address of witness)
- (2) \_\_\_\_\_, \_\_\_\_\_  
(Name) (Address of witness)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 5, 193 7.

WITNESS my hand this 5th day of November, 193 7.

CHAS. E. STRICKLIN  
NW STATE ENGINEER

Application No. 17110  
Permit No. 12907

**PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON**

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of September 1937, at 2:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1938

Recorded in book No. 36 of

Permits on page 12907

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 17

Fees Paid \$27.50

STATE OF OREGON, }  
County of Marion. } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Price Creek

The use to which this water is to be applied is Irrigation, Stock and Domestic, being 1.88 c.f.s. for irrigation and 0.12 c.f.s. for stock and domestic

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 27, 1937

Actual construction work shall begin on or before March 31, 1939 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1940  
Extended to Oct. 1, 1941 Extended to Oct. 1, 1942 Extended to Oct. 1, 1943 Extended to Oct. 1, 1944

Complete application of the water to the proposed use shall be made on or before  
October 1, 1941  
Extended to Oct. 1, 1942 Extended to Oct. 1, 1943 Extended to Oct. 1, 1944 Extended to Oct. 1, 1945

WITNESS my hand this 31st day of March, 1938

CHAS. E. STRICKLIN

STATE ENGINEER