

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Mrs. Jessie M. Kinsman (Name of applicant) of Applegate (Postoffice), County of Jackson, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is return flow seepage and springs reaching diversion in Thompson Creek, a tributary of Big Applegate

2. The amount of water which the applicant intends to apply to beneficial use is 0.09 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 400 ft. South and 55 ft. East from the NW corner of Section 33,

being within the NW 1/4 of the NW 1/4 of Sec. 33, Tp. 38 S., R. 4 W., W. M., in the county of Jackson

5. The Ditch to be 2000 feet in length, terminating in the NW 1/4 of the SW 1/4 of Sec. 28, Tp. 38 S., R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 1.0 feet, length on top 30 feet, length at bottom 25 feet; material to be used and character of construction rock and dirt

(b) Description of headgate direct from creek

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 50.00
- 12. Construction work will begin on or before ditch finished
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

Mrs. Jessie M. Kinsman
(Signature of applicant)

Applegate, Oregon.

Signed in the presence of us as witnesses:

- (1) C. A. Smith, Medford, Oregon.
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks: This application is for permit to use the return flow seepage
and spring water reaching this diversion and used as supplemental supply on
lands covered by Permit No. 6037.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 17207

Permit No. 12929

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of January, 1938, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1938

Recorded in book No. 36 of

Permits on page 12929

CHAS. E. STRICKLIN.

STATE ENGINEER

Drainage Basin No. 15 Page 16

Fees Paid \$9.50

STATE OF OREGON, ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.09 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Return flow seepage and springs

The use to which this water is to be applied is Irrigation (Supplemental)

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 15, 1938

Actual construction work shall begin on or before March 31, 1939 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1940

Complete application of the water to the proposed use shall be made on or before October 1, 1941

WITNESS my hand this 31st day of March, 1938

CHAS. E. STRICKLIN.

STATE ENGINEER