## \*APPLICATION FOR A PERMIT



## To Appropriate the Public Waters of the State of Oregon

State of	of
State ofOragon	State ofOregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Unnamed Spring (Name of stream) , a tributary of Devils Lake.  2. The amount of water which the applicant intends to apply to beneficial use is	1. The source of the proposed appropriation is Unnamed Spring (Name of stream) , a tributary of Devils Lake
1. The source of the proposed appropriation is Unnemed Spring , a tributary of Devils Lake  2. The amount of water which the applicant intends to apply to beneficial use is	1. The source of the proposed appropriation is Unnamed Spring (Name of stream) , a tributary of Devils Lake
	, a tributary of Devils Lake
2. The amount of water which the applicant intends to apply to beneficial use is08	
**3. The use to which the water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is Domestic & Operation of Tem (Irrestlen, power, mining, manufacturity, demestic supplies, etc.)  4. The point of diversion is located 105 ft. South and 35 ft. East from the NW (R. or S.)  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the Lot 26 of Sec. 11 Tp. 7 S. (N. or S.)  7. The Qive smallest legal subdivision)  5. The Pipe (Main ditch, canal or pipe line) (Miles or feet)  in length, terminating in the Lot 28 of Sec. 11 Tp. 7 S. (N. or S.)  R. 11 W. W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  DIVERSION WORKS—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)	2. The amount of water which the applicant intends to apply to beneficial use is $0.08$
**3. The use to which the water is to be applied is Domestic & Operation of Tam (Itrigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located \$\frac{105}{15}\$ ft. South and \$\frac{35}{15}\$ ft. \$\frac{East}{(E.or W.)}\$ from the \$\frac{NW}{(E.or W.)}\$ corner of \$\frac{1}{100}\$ Lot \$\frac{26}{15}\$ (Section or subdivision)  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the \$\frac{1}{100}\$ Lot \$\frac{26}{15}\$ (Give smallest legal subdivision) of \$Sec. 11\$ , \$Tp. 7 S. (No or S.)  \[ \frac{11}{100}\$ \frac{W}{100}\$ , \$W. M., in the country of \$\frac{11}{100}\$ Lincoln (Miles or feet) \$\frac{11}{100}\$ (No or S.)  \$\frac{11}{100}\$ \frac{W}{100}\$ , \$W. M., the proposed location being shown throughout on the accompanying map.  \[ \frac{11}{100}\$ \frac{W}{100}\$ WORKS  \]  DIVERSION WORKS—  6. (a) Height of dam \$\frac{1}{100}\$ feet, length on top \$\frac{1}{100}\$ feet, length at bottom \$\frac{1}{100}\$ feet; material to be used and character of construction \$\frac{1}{100}\$ (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate \$\frac{1}{100}\$ (Timber, concrete, etc., number and size of openings)	2. The unionic of water which the appropriate to apply to denertical use is
**3. The use to which the water is to be applied is Domestic & Operation of Tam (Irrigation, power, mining, manufacturing, demestic supplies, etc.)  4. The point of diversion is located \$\frac{105}{ft}\$, \$\frac{100}{(N.or.S.)}\$, and \$\frac{35}{ft}\$, \$\frac{100}{(E.or.W.)}\$ from the \$\frac{NW}{(E.or.W.)}\$ corner of \$\text{Lot. 26}\$, \$\text{(Section or subdivision)}\$  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the \$\text{Lot. 26}\$ of Sec. \$\text{11}\$, \$\text{Tp. 7}\$ S. (N. or S.)  (Section or subdivision)  The \$\text{(No.or.S.)}\$ is the country of \$\text{Lincoln}\$ of Sec. \$\text{11}\$, \$\text{Tp. 7}\$ S. (N. or S.)  \$\text{(No.or.S.)}\$ is neighborhood in the country of \$\text{Lincoln}\$ of Sec. \$\text{11}\$, \$\text{Tp. 7}\$ S. (N. or S.)  In length, terminating in the \$\text{Lot. 28}\$ of Sec. \$\text{11}\$, \$\text{Tp. 7}\$ S. (N. or S.)  (Smallest legal subdivision)  \$\text{R.}\$ (Smallest legal subdivision)  \$\text{DIVERSION Works}\$  DIVERSION Works   6. (a) Height of dam \$\text{feet}\$, wasteway over or around dam)  (b) Description of headgate \$\text{(Timber, concrete, etc., number and size of openings)}\$  (c) If water is to be pumped give general description \$\text{(She and type of pump)}\$	cubic feet per second. (If water is to be used from more than one source give quantity from each)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the Lot 28 of Sec. 11 , Tp. 7 S. ((N. or S.))  R. 11 W. W. M., in the county of Lincoln  5. The Pipe to be 1620 feet.  (Miles or feet)  (Mil	**3. The use to which the water is to be applied is Domestic & operation of ram
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the Lot 26 of Sec. 11 , Tp. 7 S.  (Kn or S.)  R. 11 Wa., W. M., in the county of Lincoln.  (E. or W.)  5. The Pine to be 1620 feet.  (Main ditch, canal or pipe line)  (Miles or feet)  (In length, terminating in the Lot 28 of Sec. 11 , Tp. 7 S.  (Smallest legal subdivision)  R. 11 W. W. M., the proposed location being shown throughout on the accompanying map.  (E. or W.)  DESCRIPTION OF WORKS  DIVERSION WORKS—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the Lot 26 of Sec. 11 , Tp. 7 S.  (Give smallest legal subdivision) of Sec. 11 , Tp. 7 S.  (R	corner of Lot 26, (Section or subdivision)
being within the Lot 28 Give smallest legal subdivision)  R	
being within the Lot 28 Give smallest legal subdivision)  R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
Rll W, W. M., in the county of	·
5. The Pipe (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the Lot 28 of Sec. 11 , Tp. 7 S. (Smallest legal subdivision)  R. 11 W. W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  DIVERSION WORKS—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)	R. 11 W. W. M., in the county of Lincoln
(Miles or feet)  In length, terminating in the Lot 28 of Sec. 11 Tp. 7 S.  (Smallest legal subdivision)  R. 11 W. W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  DIVERSION WORKS—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	(E. or W.)
R. 11 W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  DIVERSION WORKS—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	(Main ditch, canal or pipe line) (Miles or feet)
DESCRIPTION OF WORKS  DIVERSION WORKS—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	(Smallest legal subdivision) (N. of 5.)
DIVERSION WORKS—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	R. $\mathbb{R}$ . $\mathbb{W}$ . $\mathbb$
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	DESCRIPTION OF WORKS
feet; material to be used and character of construction  (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate	Diversion Works—
(b) Description of headgate	6. (a) Height of dam feet, length on top feet, length at bottom
(b) Description of headgate	feet; material to be used and character of construction
(c) If water is to be pumped give general description	rock and brush, timber crib, etc., wasteway over or around dam)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>\*\*</sup> Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

eadyate. At he	adgate: width or	top (at water l	ine)	feet; width on botton
	feet; depth of	water	feet; grade	feet fall per on
housand feet. (b) $At$	n	niles from heada	ate: width on top (at w	ater line)
				f water feet
rade To Rese	get fall	l per one thousan	d feet.	st Res. 3/4 /4 in.; size at 1200 f
				difference in elevation betwee
				eirly Estimated capacity
*************************	sec. ft.	,		
8. Locati	on of area to be	irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 S.	11 W.	71	Tot 28	
				Domestic use
	I I			" " /In Regatta Park
				/in Regatta Park
			•••••	
			······································	
*				
				·
			ired, attach separate sheet)	
(a) Char	acter of soil			
(b) Kind	of crops raised			
ower or Minin	G PURPOSES—			
9. (a) T	otal amount of 1	power to be deve	loped	theoretical horsepowe
(b) G	quantity of wate	r to be used for	power	sec. ft.
(c) T	otal fall to be ut	ilized 15	Head)	
			•	to be developed by ram
y water thru	110 feet of	3/4" pipe from	spring	
(e) S	uch works to be	located in	Lot 25	of Sec. 11
7 S.	, R. 11 N	№. W. M.	(Legal subdivision)	·
p	(No. E. or water to be ret	w.) urned to any str	eam? Yes	
(No. N. or S.)			(les of No)	
(f) Is	f oo mama otraa	m amd looato moi		
(f) Is	f so, name strea			, R. 11 W., W. M. M. (No. E. or W.)

STATE ENGINEER

MUN	ICIPA	L OR DOMESTIC SUPPLY-	
	10.	(a) To supply the city of	
		County, havi	ng a present population of
and (	an est	(Name of) timated population of	in 193
		(b) If for domestic use state n	number of families to be supplied One family and to
			supply Regatta Park
	11.	Estimated cost of proposed wor	·ks, \$ 1000.00
	12.	Construction work will begin o	on or before One year after approval
	1 <b>3.</b>	Construction work will be com	pleted on or before Two years after approval
	14.	The water will be completely	applied to the proposed use on or before Three years
	a.	fter aporoval.	
			N. F. Roher. (Signature of applicant)
	_	ned in the presence of us as with	
(1)	Ε.	. H. Calkins	(Address of witness)
			(Address of witness)
(~)			
			this apolication is to be used continuously
in L	ot 28	and occasiona⊥iy in Regat	tta Park which is located partially in Lot 27
and	part	ly in Lot 28, Section 11, 1	F. 7 S., R. 11 W., for domestic purposes.
•			
		OF OREGON, ss.	
STA	TE C	OF OREGON,	
C	County	y of Marion,	
			ned the foregoing application, together with the accompanying
man			
_		•	
		•	
			······································
	In	order to retain its priority, the	his application must be returned to the State Engineer, with
corr	ection	s on or before	, 193
	WI	TNESS my hand this	day of, 193

Application	<i>No.</i> 17267
Permit No.	12978

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on theday of	
	198.8, at 1:30 o'clock P. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	May 31, 1938	
	Recorded in book No of	
~	Permits on page 12978.	
	CHAS. E. STRICKLIN. STATE ENGINEER	
	Drainage Basin No. 18 Page 5	
	Fees Paid \$10.25	
COLUMN OF OPECON )	DEDMIM	
STATE OF OREGON, County of Marion.	PERMIT	
,	at I have examined the foregoing application and do hereby grant the s	0.0000 0
and shall not exceed	cubic feet per second measured at the point of diversion from case of rotation with other water users, from Unnamed Spring	m the
domestic and 0.03 c.f.	is water is to be applied is Domestic and Ram, being 0.05 c.f.s.s. for operation of ram.	
second		
and shall be subject to such	h reasonable rotation system as may be ordered by the proper state of this permit isMarch 16, 1938	ficer.
Actual construction	work shall begin on or before May 31, 1939 and	shall
October 7 7040	ith reasonable diligence and be completed on or before	
Complete application	of the water to the proposed use shall be made on or before	•••••
	this, 1938	
	CHAS, E, STRICKLIN,	
Pormite for never development	STATE ENGINE	EER