

*APPLICATION FOR A PERMIT CERTIFICATE NO. 14171

To appropriate the Public Waters of the State of Oregon

I, E. C. Madsen (Name of applicant) of Metzger (Postoffice), County of Yamhill, State of ... do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 5 Unnamed Springs (Name of stream), a tributary of Chehalem Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.06 cubic feet per second, being 0.005 each from #1, 2, 3 & 5 and 0.04 c.f.s. from #4. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and Stock, including irrigation of 1/2 acre garden. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ... ft. (N. or S.) and ... ft. (E. or W.) from the corner of ... SEE REMARKS (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the ... of Sec. ... Tp. ... R. ... W. M., in the county of Yamhill

5. The Pipe (Main ditch, canal or pipe line) to be 800 feet (Miles or feet) in length, terminating in the NE 1/4 SE 1/4 of Sec. 7, Tp. 3 S., R. 3 W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 2 feet, length on top 25 feet, length at bottom 15 feet; material to be used and character of construction Earth (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____.

(b) If for domestic use state number of families to be supplied _____ One _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 50.00 _____

12. Construction work will begin on or before One year after approval _____

13. Construction work will be completed on or before Two years after approval _____

14. The water will be completely applied to the proposed use on or before Three years
after approval _____

E. C. Madsen.
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) _____, _____
(Name) (Address of witness)

(2) _____, _____
(Name) (Address of witness)

Remarks: _____

Spring #1, 1100' N & 700' E from SW corner, Sec. 7, T. 3 S., R. 3 W.

" #2, 1150' N "1100' E " " " " " " "

" #3, 1500' N "2300' W " SE " " " " "

" #4, 1600' N "1900' W " " " " " " "

" #5, 1650' N "1500' W " " " " " " "

For Stock, Springs # 1 & #2, being within SW¹/₄ SW¹/₄, Section 7, T. 3 S., R. 3 W.

For Domes., Springs # 3, 4, & 5, " " NW¹/₄ SE¹/₄, " " " " " "

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before _____, 193_____.

WITNESS my hand this _____ day of _____, 193_____.

STATE ENGINEER

Application No. 17271

Permit No. 12981

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 18th day of March

1938, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

May 31, 1938

Recorded in book No. 36 of

Permits on page 12981

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 76d

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from 5 Unnamed Springs, being 0.005 c.f.s. from Springs Nos. 1, 2, 3 and 5 & 0.04 c.f.s. from Spring No. 4.

The use to which this water is to be applied is Domestic, including the irrigation of a garden not exceeding 1/2 acre in area and Stock purposes, being 0.01 c.f.s. for domestic and 0.05 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 18, 1938

Actual construction work shall begin on or before May 31, 1939 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1940

Complete application of the water to the proposed use shall be made on or before October 1, 1941

WITNESS my hand this 31st day of May, 1938

CHAS. E. STRICKLIN STATE ENGINEER